

Range of used OTR Tyres

Current stock week 40 - 2019

3H4-1107	12.00R20 Goodyear RL-5K No Repairs 62mm = Demo
3H18-1135	12.00-20 Nokian Mine King L5 Slick 20pr No Repairs (DOT2013) 41mm = NEW
3H18-1136	12.00-20 Nokian Mine King L5 Slick 20pr No Repairs (DOT2013) 41mm = NEW
3H18-1137	12.00-20 Nokian Mine King L5 Slick 20pr No Repairs (DOT2013) 41mm = NEW
3H18-1138	12.00-20 Nokian Mine King L5 Slick 20pr No Repairs (DOT2013) 41mm = NEW
3H20-1221	14.00R20 Pirelli PS-22 No Repairs DOT2015 22mm = New
tm 1235 (14x)	14.00R20 Pirelli PS-22 No Repairs DOT2015 22mm = New
3H4-1104	12.00-24 Goodyear HRL-3A No Repairs 22mm = Demo
3H4-1105	12.00-24 Goodyear HRL-3A No Repairs 22mm = Demo
A10719	12.00-24 Henan Slick No Repairs 30mm
A10720	12.00-24 Henan Slick No Repairs 30mm
3H4-1103	12.00R24 Michelin X Mine D2 * L-5 No Repairs 57mm = 100%
3H4-1108	12.00R24 Michelin X Mine D2 * L-5 1x Rep + cosm Rep. 44mm = 77%
3H18-685	12.00R24 Michelin X Mine D2 * L-5 No repairs 30mm = 53%
3H18-686	12.00R24 Michelin X Mine D2 * L-5 No repairs 23mm = 40%
3H17-959	12.00R24 Michelin X Mine D2 * L-5 No repairs 56mm = 99%
3H20-1219	14.00R24 Bridgestone VCH E3 No Repairs 33 = New
3H19-1193	14.00R24 Bridgestone VHB E2 No Repairs 20mm = 85%
3H19-1194	14.00R24 Bridgestone VHB E2 Only some Cosm. Rep. 20mm = 85%
3H19-1195	14.00R24 Bridgestone VHB E2 Only some Cosm. Rep. 20mm = 85%
3H19-1196	14.00R24 Bridgestone VHB E2 Only some Cosm. Rep. 20mm = 85%
A10763	14.00R24 Bridgestone VHB *** E2 No Repairs 23mm = Demo
3H3-1328	14.00R24 Double Coin REM 8 No Repairs 22mm = Demo
3H12-1346	14.00R24 Double Coin REM 8 No Repairs 22mm = Demo
3H12-1347	14.00R24 Double Coin REM 8 No Repairs 22mm = Demo
3H12-1348	14.00R24 Double Coin REM 8 No Repairs 22mm = Demo
3H4-1090	14.00R24 Remould MGLA2 L-2 Michelin casing with 2x Rep. 28mm = 100%
3H4-1091	14.00R24 Remould MGLA2 L-2 Michelin casing with 2x Rep. 28mm = 100%
3H4-1092	14.00R24 Remould MGLA2 L-2 Bridgestone casing with 2x Rep. 28mm = 100%
3H4-1093	14.00R24 Remould MGLA2 L-2 Michelin Casing With 5 nail rep + cosm 28mm = 100%
3H4-1094	14.00R24 Remould MGLA2 L-2 Bridgestone Casing, no Repairs. 28mm = 100%
3H4-1095	14.00R24 Remould MGLA2 L-2 Bridgestone Casing, no Repairs. 28mm = 100%
A9936	14.00R24 Michelin X-Lisse No Repairs New
A9937	14.00R24 Michelin X-Lisse No Repairs New
A9938	14.00R24 Michelin X-Lisse No Repairs New
A9939	14.00R24 Michelin X-Lisse No Repairs New
3H3-873	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs 52mm = 83%
3H17-953	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs 40mm = 63%
3H17-956	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs 40mm = 63%
3H17-954	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs 42mm = 67%
3H17-955	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs 42mm = 67%
3H3-1327	14.00R25 Goodyear EV-4S ***IND-4 No Repairs 51mm = demo
3H2-547	15.00R24 Michelin (Remould) XLC slick No Repairs 21mm = 100%
3H2-1054	15.00R24 Remould XL C slick Michelin Radial Casing, Cosm. Rep. 21mm = 100%
3H2-1055	15.00R24 Remould XL C slick Michelin Radial Casing, Cosm. Rep. 21mm = 100%
3H2-1056	15.00R24 Remould XL C slick Michelin Radial Casing, Cosm. Rep. 21mm = 100%

Range of used OTR Tyres

Current stock week 40 - 2019

3H19-1199	16.00R25 Barkley BLB03S E4 No Repairs 41mm = 95%
3H10-1392	16.00R25 Michelin Stabil X No Repairs demo / new
TW99419	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99420	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99421	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99422	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99423	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99424	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99425	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99426	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
A8975	18R19.5 Remould XF Radial casing New
A8976	18R19.5 Remould XF Radial casing New
A8977	18R19.5 Remould XF Radial casing New
A8978	18R19.5 Remould XF Radial casing New
A10637	18.00-25 Bridgestone Smooth Tread L5S No Repairs, DOT 2008 84mm = demo
A10890	18.00R25 Bridgestone V Container Handler 2 x small nail Repairs + cosm rep 60mm = 94%
A10891	18.00R25 Bridgestone V Container Handler 1 Repair (on tread) + cosm rep 58mm = 90%
3H3-1131	18.00R25 Linglong LB03S ** E-4 Radial Dumptruck tyre 46mm = New
3H3-1132	18.00R25 Linglong LB03S ** E-4 Radial Dumptruck tyre 46mm = New
3H3-1133	18.00R25 Linglong LB03S ** E-4 Radial Dumptruck tyre 46mm = New
3H3-1134	18.00R25 Linglong LB03S ** E-4 Radial Dumptruck tyre 46mm = New
A9261	18.00R25 Michelin XR-B ** E-3 No repairs older DOT demo/new
A9262	18.00R25 Michelin XR-B ** E-3 No repairs older DOT demo/new
3H17-640	18.00R25 Michelin XR-B ** E-3 No Repairs 26mm = 93%
3H17-641	18.00R25 Michelin XR-B ** E-3 No Repairs 24mm = 86%
3H17-638	18.00R25 Michelin XVC ** E-2 (186E) No Repairs 17mm = 68%
3H17-639	18.00R25 Michelin XVC ** E-2 (186E) No Repairs 18mm = 70%
CT7-281	18.00R25 Michelin XHD1 ** E-4 Only some Cosm. Rep. 40mm = 85%
CT7-282	18.00R25 Michelin XHD1 ** E-4 Only some Cosm. Rep. 40mm = 85%
CT7-283	18.00R25 Michelin XHD1 ** E-4 Only some Cosm. Rep. 40mm = 85%
CT7-284	18.00R25 Michelin XHD1 ** E-4 Only some Cosm. Rep. 40mm = 85%
3H18-1141	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
3H18-1142	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
3H18-1143	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
3H18-1144	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
t/m 3H18-1161	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
3H4-1102	18.00R25 Remould XR-B ** E-3 No Repairs New 30mm = New
3H4-1236	18.00R25 Remould XR-B ** E-3 No Repairs New 30mm = New
3H12-1307	18.00-33 Remould XDT E4T X-ply Casing 56mm = new
3H12-1308	18.00-33 Remould XDT E4T X-ply Casing 56mm = new
3H12-1309	18.00-33 Remould XDT E4T X-ply Casing 56mm = new
3H12-1310	18.00-33 Remould XDT E4T X-ply Casing 56mm = new
CT14-409	18.00R33 BRIDGESTONE VRQP ** E-4 Only some Cosm. Rep. 44mm = 69%
A10959	18.00R33 Goodyear RT-4A ** E-4 No repairs 35mm = 65%
CT11-369	18.00R33 Michelin , 1x Repair+ cosm. Rep 60mm = 97%
3H4-496	18.00R33 Michelin X-Quarry-S ** E-4 1x Repair+ cosm. Rep 60mm = 97%
CT	21.00R25 MICHELIN XKD1 A ** E-4 No Repairs, 42mm = 99%
3H12-558	21.00-25 Continental Crane Master E-3 Only some Cosm rep. 34mm = 80%
3H6-729	21.00-25 Continental Crane Master E-3 Only some Cosm rep. 40mm = 93%
3H6-730	21.00-25 Continental Crane Master E-3 Only some Cosm rep. 40mm = 93%

Range of used OTR Tyres

Current stock week 40 - 2019

3H6-726	21.00R25 Michelin XS ** E2 Only some Cosm. Rep. (oude DOT) 15mm = 80%
3H6-727	21.00R25 Michelin XS ** E2 Only some Cosm. Rep. (oude DOT) 12mm = 63%
3H6-728	21.00R25 Michelin XS ** E2 Only some Cosm. Rep. (oude DOT) 16mm = 84%
3H9-1106	21.00R25 Michelin XS ** E2 No Repairs 18mm = 90%
3H15-845	21.00R33 Bridgestone VMTP ** E-4 No Repairs 12mm = 20%
3H15-847	21.00R33 Bridgestone VMTP ** E-4 No Repairs 16mm = 26%
3H13-1294	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H13-1295	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H14-745	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H14-746	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H14-747	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H14-748	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H7-732	21.00R33 Goodyear RL-4B ** E-4 No Repairs, 31mm = 56%
3H19-1245	21.00R33 Michelin X-Traction E4T No Repairs, small cosm. Damage on sidewall 53mm = 69%
A9997	21.00R33 Michelin X-Haul ** E-4 Only some Cosm. Rep. 24mm = 45%
A7932	21.00R35 BRIDGESTONE VELS ** E-4 Top Tyre clean 56mm = 96%
A10273	21.00R35 BRIDGESTONE VMTP ** E4 No Repairs, little dry between lugs 61mm = 99%
3H16-893	21.00R35 BRIDGESTONE VMTP ** E4 only some cosm Rep 55mm = 90%
3H16-894	21.00R35 BRIDGESTONE VMTP ** E4 only some cosm Rep 50mm = 82%
3H16-895	21.00R35 BRIDGESTONE VMTP ** E4 only some cosm Rep 55mm = 90%
hal 3	21.00-35 Continental Crane Mast. 40pr E3 IND no Repairs DEMO
hal 3	21.00-35 Continental Crane Mast. 40pr E3 IND no Repairs DEMO
A10985	21.00R35 Michelin XDT A ** E-4 2 Repairs + Cosm rep 20mm = 33%
A10986	21.00R35 Michelin XDT A ** E-4 1 Repair + Cosm rep 24mm = 40%
A7742	24.00-29 GOODYEAR ALL WEATHER EM 24PR TL OP VELG 0,95
	24.00R35 Bridgestone VMTP ** E-4 (E2A) Tyre got Cosm. Rep. on Tread (3Blocks) 99%/Demo
	24.00R35 Bridgestone VMTP ** E-4 (E2A) 1x Repair 67mm = 92%
A11010	24.00R35 Bridgestone VMTP ** E-4 (E2A) 1 Rep + cosm rep 48mm = 66%
A10957	24.00R35 Bridgestone VRQP ** E-4 (E2A) No Repairs 71mm = demo
A10979	24.00R35 Michelin X-TRACTION ** E-4 No Repairs 38mm = 50%
CT10-417	24.00R49 MICHELIN XDT A ** E-4 only some cosm Rep 63mm = 93%
CT10-418	24.00R49 MICHELIN XDT A ** E-4 only some cosm Rep 63mm = 93%
A9528	31/90R49 Bridgestone VELS ** E4 (E2A) No Repairs /No Serial numbers New
3H16-804	27.00R49 Bridgestone VRDP ** E4 only some cosm. Rep. 28mm = 37%
bak 5	27.00R49 Goodyear RL-4J ** E-4 small damage at bead NEW
	27.00R49 Michelin X-Traction A4 ** E4 1x Repair + cosm. Rep 66mm = 80%
3H1-1318	15.5R25 BKT Earth max SR23 No repairs 26mm = demo
3H1-1319	15.5R25 BKT Earth max SR23 No repairs 26mm = demo
3H18-653	15.5R25 Goodyear GP-2B * L-3 No Repairs 19mm = 76%
3H1-1320	15.5R25 Michelin XHA No Repairs 12mm = 46%
3H1-1337	15.5R25 Michelin XHA 1 Repair + cosm rep. 19mm = 73%
3H20-1229	15.5R25 Michelin XTLA L-2 No Repairs 13mm = 42%
A10887	15.5R25 Michelin XTLA L-2 1 repair + cosm rep. 19mm = 73%
A10886	15.5R25 Michelin XTLA L-2 No Repairs 23mm = 88%
3H1-1029	15.5-25 Remould MHA L3 X-ply casing 12pr new
3H1-1030	15.5-25 Remould MHA L3 X-ply casing 12pr new
3H1-1031	15.5-25 Remould MHA L3 X-ply casing 12pr new

Range of used OTR Tyres

Current stock week 40 - 2019

3H1-1032	15.5-25 Remould MHA L3 X-ply casing 12pr new
3H5-1428	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1429	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1430	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1431	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1434	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1435	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1436	15.5R25 Remould MHA L3 (michelin casing) new
3H2-1073	17.5R25 Aeolus A2233 L5 No Repairs 33mm = 52%
3H2-1074	17.5R25 Aeolus A2233 L5 No Repairs 34mm = 53%
A9940	17.5-25 BKT SM-55 L-5Slick No Repairs 65mm = Demo
3H18-654	17.5R25 Bridgestone VJT L3 No repairs 30mm = new
3H18-658	17.5R25 Bridgestone VJT L3 No repairs 30mm = new
3H20-1200	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
3H20-1201	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
3H20-1202	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
3H20-1203	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
3H20-1204	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
A10645	17.5R25 Bridgestone VSW No repairs 17mm = 63%
A10646	17.5R25 Bridgestone VSW No repairs 17mm = 63%
A10647	17.5R25 Bridgestone VSW No repairs 17mm = 63%
A10648	17.5R25 Bridgestone VSW No repairs 17mm = 63%
A9959	17.5-25 Goodyear SM-3A 36pr L-3S No Repairs 28mm = 99%
A9961	17.5-25 Goodyear SM-3A 36pr L-3S No Repairs 28mm = 99%
A8189	17.5R25 Bridgestone VSWZ No Repairs 18mm = 66%
A8190	17.5R25 Bridgestone VSWZ No Repairs 18mm = 66%
A8191	17.5R25 Bridgestone VSWZ No Repairs 18mm = 66%
A8192	17.5R25 Bridgestone VSWZ No Repairs 18mm = 66%
A9098	17.5R25 Bridgestone VSMS * L-5 S 1x repair demo
3H2-537	17.5R25 Bridgestone VSMS * L-5 S No Repairs 67mm = 99%
3H2-538	17.5R25 Bridgestone VSMS * L-5 S No Repairs 67mm = 99%
A9641	17.5R25 Goodyear GP-2B * L-3 No repairs 23mm = 90%
CT6-318	17.5R25 Goodyear GP-2B * L-3 1x small repair 13mm = 52%
A9901	17.5R25 Goodyear TL-3A+ ** L3/E3 1x small repair 17mm = 47%
A9904	17.5R25 Goodyear TL-3A+ ** L3/E3 No Repairs 17mm = 47%
CT3-335	17.5R25 Michelin XTL A L-3 No Repairs DOT2009 demo
CT3-344	17.5R25 Michelin XTL A L-3 No Repairs 20mm = 71%
3H17-652	17.5R25 Michelin XTL A L-3 No Repairs 14mm = 50%
3H15-1016	17.5R25 Michelin XTL A L-3 No Repairs 14mm = 50%
A10252	17.5R25 Michelin XHA * L3 No Repairs 9mm = 31%
A10250	17.5R25 Michelin XHA * L3 No Repairs 11mm = 38%
A10253	17.5R25 Michelin XHA * L3 No Repairs 11mm = 38%
A10937	17.5R25 Michelin XHA * L3 No Repairs 12mm = 43%
3H3-1354	17.5R25 Michelin XHA * L3 No Repairs 18mm = 64%
3H3-1355	17.5R25 Michelin XHA * L3 No Repairs 18mm = 64%
3H3-1356	17.5R25 Michelin XHA * L3 No Repairs 18mm = 64%
3H3-1353	17.5R25 Michelin XHA * L3 No Repairs 19mm = 68%
3H5-1406	17.5R25 Michelin XHA * L3 No Repairs 24mm = 85%
3H5-1407	17.5R25 Michelin XHA * L3 No Repairs 24mm = 85%
3H5-1408	17.5R25 Michelin XHA * L3 No Repairs 24mm = 85%
3H5-1409	17.5R25 Michelin XHA * L3 No Repairs 24mm = 85%
A10975	17.5R25 Michelin XHA * L3 No Repairs 23mm = 82%
A10976	17.5R25 Michelin XHA * L3 No Repairs 23mm = 82%

Range of used OTR Tyres

Current stock week 40 - 2019

A10977	17.5R25 Michelin XHA * L3 No Repairs 23mm = 82%
A10978	17.5R25 Michelin XHA * L3 No Repairs 22mm = 79%
A10266	17.5R25 Michelin XLDD2 A * L-5 No Repairs 14mm = 23%
3H1-1027	17.5R25 Michelin Xmine D2 * L-5 1x Repair + cosm. Rep 43mm = 66%
A10838	17.5-25 Nordmann (Nokian) XLDD2 A L-5 24pr Tyre Slick regrooved as a XLDD2 pattern New / 64mm
A10839	17.5-25 Nordmann (Nokian) XLDD2 A L-5 24pr Tyre Slick regrooved as a XLDD2 pattern New / 64mm
A10840	17.5-25 Nordmann (Nokian) XLDD2 A L-5 24pr Tyre Slick regrooved as a XLDD2 pattern New / 64mm
A10841	17.5-25 Nordmann (Nokian) XLDD2 A L-5 24pr Tyre Slick regrooved as a XLDD2 pattern New / 64mm
3H15-1238	17.5R25 Remould M Snow L2 1x Repair, Demo 27mm = Demo
3H15-1239	17.5R25 Remould M Snow L2 1x Repair, Demo 27mm = Demo
3H15-1240	17.5R25 Remould M Snow L2 2x Repair, Demo 27mm = Demo
CT3-342	17.5R25 Remould MHA * L-3 1 small Repair demo
CT3-343	17.5R25 Remould MHA * L-3 1 small Repair demo
3H20-1211	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = New
3H20-1212	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = new
3H20-1213	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = New
3H20-1215	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = New
3H20-1216	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = new
3H20-1217	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = New
3H1-458	20.5R25 Aeolus AL-53 ** L-5 on Rim filled with Polyurethane 61mm = 88%
A10589	20.5R25 Aeolus AL-53 ** L-5 Only some Cosm. Rep.+ Regrooved 19mm = 28%
3H8-986	20.5R25 Aeolus AL-53 ** L-5 2x Repair + Cosm Rep. 30mm = 43%
3H5-1304	20.5R25 BRIDGESTONE VJT L3 No Repairs 29mm = 88%
A10996	20.5R25 BRIDGESTONE VJT L3 Cosm rep + Regrooved 10mm = 30%
A10997	20.5R25 BRIDGESTONE VJT L3 1 Repair + Regrooved 10mm
A10784	20.5R25 BRIDGESTONE VLT 1 Repair 38mm = 95%
3H8-749	20.5-25 BRIDGESTONE D-lug L-5 16pr No Repairs , DOT2013 New
3H8-750	20.5-25 BRIDGESTONE D-lug L-5 16pr No Repairs , DOT2015 New
A10480	20.5R25 BRIDGESTONE VSDL L-5 2x Repair + Cosm. Rep. + Regrooved 22mm = 28%
A10481	20.5R25 BRIDGESTONE VSDL L-5 1x Repair + Cosm. Rep. + Regrooved 22mm = 28%
A10916	20.5R25 Goodyear RT-3B * L-3 Only Cosm. Rep. Demo/new
3H11-1445	20.5R25 Hilo MWS+ 3 small nail Rep + Cosm Rep 50mm = 70%
3H11-1446	20.5R25 Hilo MWS+ 5 small nail Rep + Cosm Rep 46mm = 64%
3H4-970	20.5R25 MICHELIN XADN ** E-3 1x Repair + Cosm. Rep. 22mm = 60%
A10567	20.5R25 MICHELIN XHA-2 * L3 No Repairs 10mm = 30%
A10940	20.5R25 MICHELIN XHA-2 * L3 1 Repair 20mm = 61%
3H12-1341	20.5R25 MICHELIN XLDD2 A * L-5 3 Repairs + cosm Repair 42mm = 58%
3H12-1342	20.5R25 MICHELIN XLDD2 A * L-5 2 Repairs + cosm Repair 35mm = 48%
A10920	20.5R25 MICHELIN XLDD2 A * L-5 2 reps + cosm rep 39mm = 54%
3H12-1340	20.5R25 MICHELIN Xmine D2 * L-5 4 Repairs + cosm rep 32mm = 44%
A10849	20.5R25 MICHELIN Xmine D2 ** L-5 2 Repairs + cosm rep 68mm = 92%
A10850	20.5R25 MICHELIN Xmine D2 ** L-5 1 Repair + cosm rep 63mm = 85%
A8134	20.5R25 MICHELIN XSM D2 L-5Slick only Cosm. Repairs 60mm = 77%
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) New
A9897	20.5R25 Remould X Snowplus only Cosm. Repairs demo
A10692	23.5R25 Remould MHA L-3 No Repairs 14mm = 38%

Range of used OTR Tyres

Current stock week 40 - 2019

A10731	20.5R25 Remould MHA L-3 2 repairs + cosm rep 19mm = 56%
A10732	20.5R25 Remould MHA L-3 4 repairs + cosm rep 25mm = 74%
A10842	20.5R25 Triangle TL538S+ 1 repair + cosm rep 60mm = 82%
A10919	20.5R25 Yokohama RB31 1 Rep + cosm rep 19mm = 60%
3H12-1343	23.5R25 Aeolus AE47 1 Repair + cosm Rep 42mm = 92%
A10782	23.5R25 Aeolus AL37 ** L3/E3 1 Repair 33mm = 86%
A10968	23.5R25 Aeolus AL37 ** L3/E3 No Repairs 13mm = 34%
A10783	23.5R25 Aeolus AL36 ** L3/E3 1 Repair 34mm = 98%
A10853	23.5R25 Aeolus AL53 ** L-5 1 Repair + cosm rep 74mm = 92%
A10960	23.5R25 Aeolus AL53 ** L-5 No repairs 66mm = 82%
A10967	23.5R25 Aeolus AL59 ** L-5 1 Rep 47mm = 60%
A8760	23.5-25 Bridgestone R Lug S E-4 20pr no repairs NEW
CT3-334	23.5R25 Bridgestone VLTS */** L4/E4 1x Repair + Cosm. Rep 31mm = 57%
A10441	23.5R25 Bridgestone VLTS */** L4/E4 2x Repair + Cosm. Rep 44mm = 81%
3H14-1331	23.5R25 Bridgestone VSDL L-5 2 Repairs + cosm rep. 41mm = 48%
A10638	23.5R25 Bridgestone VSDT L-5 No Repairs (met polyurethaan) 78mm = 100%
3H15-1289	23.5R25 Bridgestone VSDT L-5 2 Repairs + cosm repair 34mm = 43%
A10843	23.5R25 Bridgestone VSDT L-5 1 Repair + cosm rep 32mm = 41%
A10848	23.5R25 Bridgestone VSDT L-5 1 Repair + cosm rep 70mm = 90%
3H14-1329	23.5R25 Goodyear RL4K 2 Repairs + cosm repair 45mm = 83%
3H12-1344	23.5R25 Goodyear RL4K 2 Repairs + cosm repair 45mm = 83%
A10775	23.5R25 Goodyear RL-5K 5x small nail rep + cosm rep 29mm = 35%
3H14-1324	23.5R25 Goodyear RL-5K No Repairs 19mm = 24%
A10234	23.5R25 Goodyear RT-3B * L-3 No Repairs 21mm = 60%
3H12-1349	23.5R25 Goodyear RT-3B * L-3 No Repairs 35mm = demo
3H12-1350	23.5R25 Goodyear RT-3B * L-3 No Repairs 35mm = demo
3H12-1351	23.5R25 Goodyear RT-3B * L-3 No Repairs 35mm = demo
3H12-1352	23.5R25 Goodyear RT-3B * L-3 No Repairs 35mm = demo
A10465	23.5R25 Goodyear TL-3A+ ** L3/E3 No Repairs 39mm = 91%
3H6-725	23.5R25 Goodyear TL-3A+ ** L3/E3 Only some Cosm. Rep, 19mm = 44%
3H5-711	23.5R25 Goodyear GP-4D ** L4/E4 Only some Cosm. Rep, 52mm = 96%
3H5-712	23.5R25 Goodyear GP-4D ** L4/E4 No Repairs Demo
3H11-832	23.5R25 Goodyear GP-4D ** L4/E4 1x Repair + Cosm. Rep. 50mm = 93%
TW97115	23.5R25 Michelin XKA ** L-3 Cosmetic Repair 30mm = 85%
A10806	23.5R25 Michelin XHA 1 Repair + Cosm rep 32mm = 94%
3H10-1393	23.5R25 Michelin XHA No repairs NEW
3H19-1167	23.5R25 Michelin XHA-2 L-3 Only some Cosm. Rep, 35mm = 97%
3H9-1097	23.5R25 Michelin XHA-2 L-3 No Repairs 35mm = 97%
3H9-1098	23.5R25 Michelin XHA-2 L-3 No Repairs 34mm = 94%
3H9-1099	23.5R25 Michelin XHA-2 L-3 No Repairs 34mm = 94%
3H14-1437	23.5R25 Michelin XHA-2 L-3 1x Rep + Cosm Rep 36mm = 99%
3H9-689	23.5R25 Michelin XADN+ ** E-3 1x Repair + Cosm. Rep. Demo
A10924	23.5R25 Michelin XADN ** E-3 No repairs 31mm = 82%
A11000	23.5R25 Michelin XADN ** E-3 1 rep + cosm rep + Regrooved 20mm = 53%
3H12-1450	23.5R25 Michelin XADN ** E-3 No Repairs 12mm = 32%
3H12-1452	23.5R25 Michelin XADN ** E-3 No Repairs 12mm = 32%
3H12-1451	23.5R25 Michelin XADN ** E-3 No Repairs 14mm = 37%
3H12-1448	23.5R25 Michelin XADN ** E-3 2 Repairs 16mm = 42%
3H12-1449	23.5R25 Michelin XADN ** E-3 No Repairs 16mm = 42%
A10157	23.5R25 Michelin XADT ** L4/E4 No Repairs New
A10998	23.5R25 Michelin XLDD2 A * L-5 Regrooved 15mm = 20%
A10999	23.5R25 Michelin XLDD2 A * L-5 Regrooved 18mm = 23%
3H16-1425	23.5R25 Michelin X Mine D2 L-5 Rep + Cosm Rep 47mm = 57%

Range of used OTR Tyres

Current stock week 40 - 2019

A10372	23.5-25 MRL MR-453 L3/E3 No Repairs 33mm = NEW
3H15-1263	23.5R25 Remould MADN ** E3 KAL Remould 1x Repair 40mm = 100%
3H11-773	23.5R25 Remould MADN ** E3 Bridg. Casing NEW
3H9-912	23.5R25 Remould MADN ** E3 (CI) Chinese Radial casing NEW
3H16-1282	23.5R25 Remould MADN 1 repair + cosm repair 37mm = 96%
3H10-1394	23.5R25 Remould MADN ** E3 1 Repair + Aeolus Casing NEW
3H10-1395	23.5R25 Remould MADN ** E3 2 Repairs + Aeolus Casing NEW
3H10-1396	23.5R25 Remould MADN ** E3 3 Repairs + Aeolus Casing NEW
3H10-1397	23.5R25 Remould MADN ** E3 1 Repair + Aeolus Casing NEW
3H10-1398	23.5R25 Remould MADN ** E3 No Repairs, + Aeolus Casing NEW
3H10-1399	23.5R25 Remould MADN ** E3 some small Repairs, + Aeolus Casing NEW
3H15-1014	23.5R25 Remould MLDD1 * L-4 2x Repair + cosm. Rep 40mm = 80%
3H4-974	23.5R25 Remould MLDD1 * L-4 2x Repair + cosm. Rep 45mm = 90%
A10375	23.5R25 Yokohama RL-31 * L3 No Repairs 40mm = 99%
A10286	26.5R25 AEOLUS AL-53 ** L-5 1x Repair 90mm = 99%
A10364	26.5R25 AEOLUS AL-53 ** L-5 1x Repair + Cosm. Rep. 90mm = 99%
3H11-1387	26.5R25 AEOLUS AL-53 ** L-5 1 rep + cosm rep 79mm = 88%
A10801	26.5R25 BKT SR-41 ** L4/E4 4 Repairs + cosm rep 31mm = 55%
3H11-1386	26.5R25 BKT SR-41 ** L4/E4 cosm rep 44mm = 78%
3H19-1242	26.5R25 BKT SR-50 ** L-5 1x Repair + cosm. Rep. 59mm = 68%
A10587	26.5R25 Bridgestone VMT * L-3 Regrooved 22mm = 58%
3H15-1010	26.5R25 Bridgestone VJT * L-3 only some Cosm. Rep. on the bead Demo/99%
A10816	26.5R25 Bridgestone VJT * L-3 1 Repair 24mm = 63%
3H7-1416	26.5R25 Bridgestone VJT * L-3 1 Rep + cosm rep 33mm = 87%
A10958	26.5R25 Bridgestone VJT * L-3 No Repairs 24mm
A10882	26.5R25 Bridgestone VLT 2 Repairs + cosm rep 24mm = 53%
A10883	26.5R25 Bridgestone VLT 1 Repair + cosm rep 30mm = 67%
3H16-1377	26.5R25 Bridgestone VLTS 3 Repairs + cosm rep 32mm = 53%
3H17-844	26.5R25 Bridgestone VSDL * L-5 1x Repair + cosm. Rep. 80mm = 85%
A10813	26.5R25 Bridgestone VSDT Cosm Rep. on 1 sidewall 48mm = 55%
3H11-1382	26.5R25 Bridgestone VSDT 1 Rep + cosm rep 70mm = 80%
3H14-1277	26.5R25 Bridgestone VSNT Only some small cosm. Rep. NEW
A10812	26.5R25 GOODYEAR RT-3B * L-3 2 Repairs + cosm rep + Regrooved 20mm = 40%
A10866	26.5R25 GOODYEAR RT-3B * L-3 1 Repair + cosm rep 29mm = 73%
3H14-1404	26.5R25 GOODYEAR RT-3B * L-3 cosm rep 20mm 53%
3H7-1417	26.5R25 GOODYEAR RT-3B * L-3 1 rep + cosm rep 12mm = 32%
A10966	26.5R25 GOODYEAR RT-3B * L-3 1 rep + Regrooved 32mm = 80%
A7443	26.5R25 GOODYEAR GP-2B* L3 1x Big Repair New
3H14-825	26.5R25 GOODYEAR RL-2+ L3/E3 1x Repair + Cosm. Rep. 16mm = 36%
A10403	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Regrooved 22mm = 47%
A10404	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Regrooved 22mm = 47%
3H15-1418	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Cosm rep 20mm = 42%
3H16-1378	26.5R25 GOODYEAR TL-3A+ ** L3/E3 only some Cosm. Repair 26mm = 55%
3H6-723	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Only some Cosm. Rep, 30mm = 64%
3H7-737	26.5R25 GOODYEAR SM-5A ** L-5Slick No repairs 78mm = 90%
3H7-738	26.5R25 GOODYEAR SM-5A ** L-5Slick No repairs 85mm = 98%
3H7-739	26.5R25 GOODYEAR SM-5A ** L-5Slick Only some Cosm. Rep. 85mm = 98%
3H7-740	26.5R25 GOODYEAR SM-5A ** L-5Slick Only some Cosm. Rep. 80mm = 92%
A10210	26.5R25 HILO BDTS ** L4/E4 No Repairs 50mm = NEW
3H8-1259	26.5R25 Michelin XADN ** E-3 Cosm Rep. 27mm = 66%
A10867	26.5R25 Michelin XADN+ ** E-3 No Repairs 39mm = 98%
A11001	26.5R25 Michelin XADN+ ** E-3 1 Rep + Regrooved 22mm = 55%
A10258	26.5R25 Michelin XKA ** L-3 No Repairs 28mm = 80%

Range of used OTR Tyres

Current stock week 40 - 2019

3H19-1248	26.5R25 Michelin XHA L3 1x Repair + Cosm. Rep. 16mm = 43%
3H11-1385	26.5R25 Michelin XHA L3 1 repair + cosm rep 19mm = 49%
3H14-1311	26.5R25 Michelin XHA L3 No repairs 24mm = 65%
A10778	26.5R25 Michelin XHA-2 ** L3 No Repairs, Regrooved 20mm = 39%
3H13-938	26.5R25 Michelin XHA-2 ** L3 No Repairs, small damage on tread NEW
A10733	26.5R25 Michelin XHA-2 ** L3 9 repairs + cosm rep 20mm = 39%
A10781	26.5R25 Michelin XHA-2 ** L3 Cosm rep 14mm = 27%
A10898	26.5R25 Michelin XHA-2 ** L3 cosm rep + Regrooved 11mm = 27%
A10894	26.5R25 Michelin XHA-2 ** L3 cosm rep + Regrooved 16mm = 39%
A10899	26.5R25 Michelin XHA-2 ** L3 cosm rep + Regrooved 18mm = 44%
A10918	26.5R25 Michelin XHA-2 ** L3 only some Cosm. Rep. 41mm = demo
3H7-1415	26.5R25 Michelin XHA-2 ** L3 1 Rep + cosm rep 23mm = 56%
A10936	26.5R25 Michelin XHA-2 ** L3 No repairs 20mm = 49%
A10962	26.5R25 Michelin XHA-2 ** L3 No repairs 40mm = 98%
A10963	26.5R25 Michelin XHA-2 ** L3 No repairs 40mm = 98%
A10964	26.5R25 Michelin XHA-2 ** L3 No repairs 40mm = 98%
A10965	26.5R25 Michelin XHA-2 ** L3 No repairs 40mm = 98%
3H8-490	26.5R25 Michelin XTXL ***/**** L4/E4 Only some Cosm. Rep. 50mm = 93%
3H15-1269	26.5R25 Michelin XLDD1 A * L-4 1x Repair + Cosm. Rep. 20mm = 38%
3H10-992	26.5R25 Michelin XLDD1 A * L-4 Only some Cosm. Rep. 24mm = 45%
3H16-1374	26.5R25 Michelin XLDD1 A * L-4 4 Repairs + cosm rep. 24mm = 45%
3H12-994	26.5R25 Michelin XLDD2 A * L-5 1x Repair + cosm. Rep. 59mm = 68%
A10744	26.5R25 Michelin XLDD2 A * L-5 2 repairs + cosm rep + some blocks are damaged 78mm = 90%
3H13-1298	26.5R25 Michelin XLDD2 A * L-5 2 Rep + cosm rep 48mm = 55%
3H8-1414	26.5R25 Michelin XLDD2 A * L-5 1 Repair + cosm rep 40mm = 46%
A11006	26.5R25 MICHELIN XLDD2 1 Rep + 1 sidewall cosmetic rep. + Regrooved 28mm = 32%
A10981	26.5R25 Michelin XTXL No Repairs 22mm = 40%
3H14-1330	26.5R25 Michelin X Mine D2 * L5 1 Repair + cosm rep 36mm = 40%
A10802	26.5R25 Michelin X Mine D2 ** L5 1 Repair + cosm rep 80mm = 88%
3H8-1413	26.5R25 Michelin X Mine D2 ** L5 4 Repairs + cosm rep 80mm = 88%
3H16-1426	26.5R25 Michelin X Mine D2 * L5 Cosm Rep 59mm = 65%
3H14-1432	26.5R25 Michelin X Mine D2 ** L5 Cosm Rep 85mm = 93%
3H13-1305	26.5R25 Michelin X-Super Terrain 1 Rep + cosm rep 36mm = 67%
3H13-1306	26.5R25 Michelin X-Super Terrain 1 Rep + cosm rep 45mm = 83%
A3781	26.5R25 REMIX XKA** 3 Repairs Little dry between lugs NEW
3H19-1247	26.5R25 Remould MHA L-3 Only some cosm. Rep. 24mm = 64%
3H12-1076	26.5R25 Remould MHA L-3 Bridgestone Casing, no Repairs. 36mm = 95%
CT14-298	26.5R25 Remould MHA L-3 2nd grade casing / chinese casing New
3H10-1081	26.5R25 Remould MHA L-3 Michelin Casing 38mm = Demo
A10768	26.5R25 Remould MHA L-3 Cosm rep + regrooved 20mm = 52%
A10771	26.5R25 Remould MHA L-3 4 Repairs + cosm rep + regrooved 19mm = 50%
3H14-1315	26.5R25 Remould MHA L-3 No repairs 45mm = New
3H14-1316	26.5R25 Remould MHA L-3 No repairs 45mm = New
CT6-110	26.5R25 Remould MHA-2 L-3 2x repair 42mm = 93%
3H12-1075	26.5R25 Remould MHA-2 L-3 Michelin Casing, 2x repair 31mm = 76%
A10581	26.5R25 Remould MHA-2 L-3 1x Repair (DPS) Michelin casing 35mm = 85%
3H14-1313	26.5R25 Remould MHA-2 L-3 1 Repair 45mm = New
3H14-1314	26.5R25 Remould MHA-2 L-3 lot of small nail repairs 45mm = New
3H14-1317	26.5R25 Remould MHA-2 L-3 No repairs 45mm = New
3H11-1384	26.5R25 Remould MADT ** L4/E4 1 rep + cosm rep 34mm = 65%
CT6-109	26.5R25 Remould MADT ** L4/E4 Only some Cosm. Rep. 43mm = 83%
3H12-774	26.5R25 Remould MADT ** L4/E4 1 repair NEW
3H12-775	26.5R25 Remould MADT ** L4/E4 1 repair NEW
3H7-896	26.5R25 Remould MLDD1 A L-4 1x Repair + Some cosm. Rep. 48mm = 86%

Range of used OTR Tyres

Current stock week 40 - 2019

3H7-897	26.5R25 Remould MLDD1 A L-4 Some cosm. Rep. 46mm = 82%
3H16-1375	26.5R25 Remould XLDD1 A * L-4 No Repairs 60mm = New
3H16-1376	26.5R25 Remould XLDD1 A * L-4 No Repairs 60mm = New
A10673	26.5R25 Remould XLDD2 A * L-5 2 repairs + cosm repair 31mm = 36%
A10772	26.5R25 Remould XLDD2 A * L-5 1 rep + cosm rep 70mm = 80%
A10814	26.5R25 Remould XLDD2 A * L-5 1 Reparatie 61mm = 70%
3H19-1168	26.5-25 Yokohama Y-69 L-5 Slick 32pr Only some cosm. Rep. 72mm = 84%
3H19-1169	26.5-25 Yokohama Y-69 L-5 Slick 32pr Only some cosm. Rep. 76mm = 88%
A10155	29.5-25 Alliance A-318 L3/E3 28pr No Repairs New
A10958	29.5R25 Bridgestone VJT * L-3 No Repairs 24mm
3H8-1411	29.5R25 Bridgestone VMT Cosm rep 29mm = 65%
3H8-1412	29.5R25 Bridgestone VMT Cosm rep 29mm = 65%
A10982	29.5R25 Bridgestone VMT No Repairs (DOT2014) 42mm = NEW
A11004	29.5R25 Bridgestone VSDT 1 Rep + cosm rep + Regrooved 40mm = 42%
3H14-1433	29.5R25 Goodyear VSDT 1 Rep + Cosm Rep at 1 sidewall 61mm = 61%
CT1-289	29.5-25 General LD-250 L-5 (slick) 28pr No repairs New
A10675	29.5R25 Goodyear GP-4D Cosm repair 48mm = 84%
A10725	29.5R25 Goodyear RL-5K ** Hi-Stab L-5 Only some Cosm. Repairs 92mm = 97%
A10980	29.5R25 Goodyear RL-5K ** Hi-Stab L-5 1 Rep + cosm rep 64mm = 67%
A9971	29.5-25 ALPHA Hard Rock Lug 28pr No Repairs 44mm = 98%
A10412	29.5R25 AEOLUS AL-37 ** L3/E3 1x Repair + cosm. Rep 44mm = 92%
A7292	29.5R25 MAXAM MS501 ** L-5 Minextra ruw op nokken 90MM = 90%
8x	29.5R25 Michelin XS (196E) ** No Repairs 98-100%
A10907	29.5R25 MICHELIN XADN ** E-3 No Repairs, Regrooved 16mm = 36%
3H14-1400	29.5R25 MICHELIN XADN ** E-3 1 Repair 16mm = 36%
A10908	29.5R25 MICHELIN XADN ** E-3 Cosm rep + Regrooved 19mm = 43%
3H11-1383	29.5R25 MICHELIN XADN + ** E-3 Only some Cosm. Rep. 19mm = 43%
3H10-1391	29.5R25 MICHELIN XADN ** E-3 1 Rep + cosm rep 32mm = 75%
A10066	29.5R25 MICHELIN XADN ** E-3 No repairs 43mm = 98%
3H16-1367	29.5R25 MICHELIN XADN ** E-3 1 Repair 41mm = 93%
A10599	29.5R25 MICHELIN XADT ** E-4/L-4 1x Repair + cosm. Rep 40mm = 67%
A10716	29.5R25 MICHELIN X-Super Terrain ** L4/E4 1 repair + cosm rep + Regrooved 22mm = 31%
3H14-1312	29.5R25 MICHELIN XHA2 L3 3 repairs + cosm rep 32mm = 74%
A10831	29.5R25 MICHELIN XHA2 L3 2 Repairs + cosm rep 35mm = 81%
A10830	29.5R25 MICHELIN XHA2 L3 1 Repair + Cosm rep 37mm = 86%
A10833	29.5R25 MICHELIN XHA2 L3 1 Repair + cosm rep 37mm = 86%
A10832	29.5R25 MICHELIN XHA2 L3 1 Repair + cosm rep 41mm = 95%
A10425	29.5R25 MICHELIN XLDD1 A * L-4 2x Repair + cosm. Rep 34mm = 58%
3H13-1293	29.5R25 MICHELIN XLDD1 A * L-4 1 Repair 32mm = 55%
3H14-1057	29.5R25 MICHELIN XLDD2 A * L-5 1x Repair 93mm = 98%
A10735	29.5R25 MICHELIN X Mine D2 * L-5 Cosm. Rep. on bead 101mm = Demo
A11008	29.5R25 MICHELIN X Mine D2 ** L-5 Only some Cosm. Rep. 51mm = 50%
3H15-810	29.5-25 Remould XHA* L3 X-ply casing NEW
3H15-811	29.5-25 Remould XHA* L3 X-ply casing NEW
3H15-812	29.5-25 Remould XHA* L3 X-ply casing NEW
3H15-1009	29.5R25 Remould XHA* L3 2x Repair 37mm = 93%
CT8-327	29.5R25 Remould XHA-2 * L-3 Chinese Casing 44mm = New
CT8-328	29.5R25 Remould XHA-2 * L-3 Chinese Casing 44mm = New
A8810	26.5R29 Michelin XR-B ** New (older DOT) New
0	26.5R29 Michelin XK-A ** Only some cosm rep. 9mm = 25%
0	26.5R29 Michelin XK-A ** Only some cosm rep. 9mm = 25%

Range of used OTR Tyres

Current stock week 40 - 2019

0 29.5-29

A5990	375/90R22.5 MICHELIN XZL NIEUW
A7466	385/65-22.5 Outrigger Traktion 16pr demo demo
A7467	385/65-22.5 Outrigger Traktion 16pr demo demo
A7468	385/65-22.5 Outrigger Traktion 16pr demo demo
A7469	385/65-22.5 Blackstone Traktion 16pr demo demo
A9476	405/70R20 Mitas EM-01 (152A2) clean, no repairs demo/new
3H18-851 (4x)	405/70R20 Mitas EM-01 (152A2) clean, no repairs on rims for a CASE 221F demo/new
3H2-1037	455/70R20 Dunlop SP-T9 No Repairs demo/new
3H2-1038	455/70R20 Dunlop SP-T9 No Repairs demo/new
3H2-1039	455/70R20 Dunlop SP-T9 No Repairs demo/new
3H2-550	445/65R22,5 Continental AC70+ (160G) No Repairs 12mm = 30%
3H2-549	445/65R22,5 Continental AC70+ (160G) No Repairs 12mm = 30%
CT5-320	440/80R28 Michelin XMCL No repairs demo/new
3H17	440/80R28 Michelin XMCL No repairs demo/new
A9341	455/70R24 Dunlop SP-T9 (165A2) Top tyres, no repairs 17mm = 80%
A10706	385/95R25 Aeolus AR28 No Repairs 14mm = 60%
A10707	385/95R25 Aeolus AR28 No Repairs 19mm = 81%
A10708	385/95R25 Aeolus AR28 No Repairs 16mm = 68%
A10709	385/95R25 Aeolus AR28 No Repairs 19mm = 81%
A10710	385/95R25 Aeolus AR28 No Repairs 16mm = 68%
A10711	385/95R25 Aeolus AR28 No Repairs 16mm = 68%
A10629	385/95R25 Bridgestone VHS E2 No Repairs 22mm = 96%
A10651	385/95R25 Bridgestone VHS E2 No Repairs 21mm = 91%
A10652	385/95R25 Bridgestone VHS E2 No Repairs 21mm = 91%
A10717	385/95R25 Bridgestone VHS E2 No Repairs 20mm = 87%
A10718	385/95R25 Bridgestone VHS E2 No Repairs 20mm = 87%
A10653	385/95R25 Double Coin REM-3 *** E-2 No Repairs 23mm = New
A10654	385/95R25 Magna MA03 No Repairs 23mm = New
A10655	385/95R25 Magna MA03 No Repairs 23mm = New
A10456	385/95R25 Michelin X-Crane+ 170F 1x Repair 20mm = 87%
3H2-1053	385/95R25 MAGNA MA-03 E-2 170E No Repairs 10mm = 42%
3H18-660	445/80R25 Bridgestone VGT ** (170E) No Repairs (DOT2015) NEW
3H2-540	445/80R25 Goodyear GP-2B ** (170E) No Repairs 17mm = 68%
3H2-541	445/80R25 Goodyear GP-2B ** (170E) No Repairs 18mm = 72%
3H17-648	445/80R25 Goodyear GP-2B ** (170E) No Repairs, DOT 2010 Demo
A10888	445/80R25 Michelin XGC No Repairs (DOT 2017) 25mm = NEW
A10889	445/80R25 Michelin XGC No Repairs (DOT 2017) 25mm = NEW
6x	445/80R25 Michelin XGC No Repairs 23mm = 92%
A10632	445/95R25 Michelin X-Sno + No Repairs 25mm = Demo%
3H17-636	480/95R25 Michelin X-straddle No Repairs 29mm = 58%
3H17-637	505/95R25 Bridgestone VHS ** E-2 (186E) only some Cosm. Rep. 23mm = 88%

Range of used OTR Tyres

Current stock week 40 - 2019

A10316	525/80R25 Bridgestone VHS ** (179E) No Repairs 18mm = 58%
A10321	525/80R25 Bridgestone VHS ** (179E) No Repairs 18mm = 58%
A10317	525/80R25 Bridgestone VHS ** (179E) No Repairs 15mm = 48%
A10318	525/80R25 Bridgestone VHS ** (179E) No Repairs 15mm = 48%
A10319	525/80R25 Bridgestone VHS ** (179E) 1 15mm = 48%
A10320	525/80R25 Bridgestone VHS ** (179E) No Repairs 15mm = 48%
3H11-922	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 19mm = 60%
3H11-923	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 19mm = 60%
3H11-924	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 17mm = 55%
3H11-927	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 17mm = 55%
3H11-925	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 13mm = 42%
3H11-926	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 15mm = 48%
A10448	525/80R25 Double Coin REM8 E2 (179E) No Repairs demo/nieuw
A10449	525/80R25 Double Coin REM8 E2 (179E) No Repairs demo/nieuw
3H1-1026	525/80R25 Double Coin REM8 E2 (179E) No Repairs demo/nieuw
3H3-604	525/80R25 MAXAM MSV01 E-2 (179E) No Repairs (DOT 2012) 30mm = NEW
3H3-605	525/80R25 MAXAM MSV01 E-2 (179E) No Repairs (DOT 2012) 30mm = NEW
3H3-606	525/80R25 MAXAM MSV01 E-2 (179E) No Repairs (DOT 2012) 30mm = NEW
3H15-1111	525/80R25 Michelin XGC E-2 (179E) No Repairs 23mm = 74%
3H15-1115	525/80R25 Michelin XGC E-2 (179E) No Repairs 21mm = 68%
A10633	525/80R25 Michelin X-Crane+ (178F) No Repairs 25mm = 89%
3H5-755	525/80R25 Michelin X-Crane+ (178F) small Cosmetic repair New / demo
3H2-548	525/80R25 Michelin X-Crane+ (178F) No Repairs 26mm = 93%
A10379	525/80R25 Techking ETGC E-2 (179E) No Repairs 30mm = NEW
3H2-1040	20-24 Goodyear SGL-D/L-2A 3x Repairs 14mm = 50%
3H4-1322	20R24 Michelin XR No Repairs 23mm = 90%
3H5-752	555/70R24 Michelin XHF * L-3 2x Repair 21mm = 62%
3H6-751	555/70R24 Michelin XHF * L-3 2x Repair 20mm = 60%
A10826	550/65R25 Michelin XLD No repairs 28mm = 88%
A10827	550/65R25 Michelin XLD 1 repair + cosm rep 28mm = 88%
A10828	550/65R25 Michelin XLD No repairs 28mm = 88%
A10829	550/65R25 Michelin XLD No repairs 28mm = 88%
A10067	600/65R25 Goodyear GP-3D ** L3/E3 Only some cosm. Rep. On sidewall New
A10608	600/65R25 Goodyear GP-3D ** L3/E3 No Repairs 10mm = 30%
A10609	600/65R25 Goodyear GP-3D ** L3/E3 No Repairs 14mm = 42%
A10610	600/65R25 Goodyear GP-3D ** L3/E3 No Repairs 14mm = 42%
A10264	600/65R25 Goodyear GP-3D ** L3/E3 No Repairs 11mm = 33%
3H13-941	600/65R25 Goodyear GP-3D ** L3/E3 No Repairs 13mm = 39%
3H13-942	600/65R25 Goodyear GP-3D ** L3/E3 No Repairs 13mm = 39%
3H7-1044	600/65R25 Goodyear GP-3D ** L3/E3 1x Repair + cosm. Rep. 13mm = 39%
3H9-905	600/65R25 Goodyear GP-3D ** L3/E3 3 small repairs 16mm = 48%
A10750	600/65R25 Goodyear GP-3D ** L3/E3 No Repairs 16mm = 48%
3H9-904	600/65R25 Michelin XLD * L-3 1x Repair + cosm. Rep. 34mm = 100%
A10574	600/65R25 Michelin XLD * L-3 No Repairs 32mm = 94%
A10579	600/65R25 Michelin XLD * L-3 No Repairs 22mm = 65%
A10580	600/65R25 Michelin XLD * L-3 No Repairs 24mm = 71%
A10823	600/65R25 Michelin XLD * L-3 1x Repair + cosm. Rep. 15mm = 45%
A10824	600/65R25 Michelin XLD * L-3 Cosm rep 16mm = 48%
A11017	600/65R25 Michelin XLD * L-3 No Repairs 34mm = 99%
A11018	600/65R25 Michelin XLD * L-3 No Repairs 34mm = 99%
A11019	600/65R25 Michelin XLD * L-3 No Repairs 34mm = 99%

Range of used OTR Tyres

Current stock week 40 - 2019

A11020	600/65R25 Michelin XLD * L-3 No Repairs 34mm = 99%
3H13-943	650/65R25 Bridgestone VTS * L-3 New / small damages on tread NEW
3H13-944	650/65R25 Bridgestone VTS * L-3 New / small damages on tread NEW
3H10-1273	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H10-1274	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H10-1275	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H10-1276	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-611	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-612	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-613	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-614	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H8-600	650/65R25 Remould XLD (DPS) L-3 Goodyear casing 27mm = 75%
3H8-601	650/65R25 Remould XLD (DPS) L-3 Goodyear casing 27mm = 75%
A10377	650/65R25 Techking ETADT ** L3/E3 No Repairs 33mm = 87%
A10671	705/70R25 Michelin XLD L3 1 repair + cosm repair + regrooved 22mm = 52%
A10672	705/70R25 Michelin XLD L3 1 repair + cosm repair + regrooved 21mm = 49%
	0 750/65R25 Goodyear TL-3A+ ** E3/L3 Cosm repair 20mm = 43%
	0 750/65R25 Goodyear TL-3A+ ** E3/L3 1x repair 20mm = 43%
A10993	750/65R25 Goodyear TL-3A+ ** E3/L3 1 Repair + Cosm rep 14mm = 30%
A10995	750/65R25 Goodyear TL-3A+ ** E3/L3 1 Repair + Cosm rep 16mm = 35%
3H11-1447	750/65R25 Goodyear TL-3A+ ** E3/L3 3 Rep + cosm Rep 18mm = 40%
A10992	750/65R25 Goodyear TL-3A+ ** E3/L3 3 Repairs + Cosm rep 23mm = 50%
3H10-1388	750/65R25 Michelin XLD * L-3 2 Repairs + cosm rep 23mm = 56%
3H16-1427	750/65R25 Remould XADN ** E3 No Repairs 42mm = New
A9970	30/65R29 Goodyear RL-5F * L-5 No Repairs Demo
CT0-65	775/65R29 Goodyear GP-4D ** Only some cosm. Rep. 48mm = 90%
3H1-454	775/65R29 Michelin XAD-65 ** E-3 6x small nail repairs 15mm = 35%
A7065	775/65R29 Remould M-Mine D1 (gesneden) 8x kleine spijkermanchetten 52MM = 85%
A7066	775/65R29 Remould M-Mine D1 (gesneden) 4x kleine spijkermanchetten 52MM = 85%
A7069	775/65R29 Remould M-Mine D1 (gesneden) 2x kleine spijkermanchetten 52MM = 85%
A7070	775/65R29 Remould M-Mine D1 (gesneden) 10x kleine spijkermanchetten 52MM = 85%
TW87227	775/65R29 Schelkmann XHA Remould NEW
TW87228	775/65R29 Schelkmann XHA Remould NEW
CT0-67	800/65R29 Goodyear GP-4D ** 1 repair + cosm. Rep. 38mm = 71%
	0 875/65R29
A9113	33.25R35 Bridgestone VKT ** E-3 Cosmetic repairs on bead 32mm = 65%
3H10-764	875/65R33 GOODYEAR RT-5D ** L-5 No Repairs DOT 2017 NEW !!
3H5-976	875/65R33 GOODYEAR RL-5K ** L-5 Hi Stab. 1x Repair + Cosm. Rep 90mm = 95%
3H5-977	875/65R33 GOODYEAR RL-5K ** L-5 Hi Stab. 1x Repair + Cosm. Rep 77mm = 82%
	35/65R33 Michelin X-Mine D2 ** L-5 no Repairs clean 93mm = 100%
	35/65R33 Michelin X-Mine D2 ** L-5 no Repairs clean 92mm = 98%
3H5-979	35/65R33 Remould RL-4K ** L-4 Bandag (segment) Remould 65mm = new
3H5-980	35/65R33 Remould RL-4K ** L-4 Bandag (segment) Remould 65mm = new
A9529	35/65-33 SIMEX SE-65 L-5 42pr Clean, no repairs 88mm = 85%

Range of used OTR Tyres

Current stock week 40 - 2019

A11009	35/65R35 Michelin XTXL ***/** L4/E4 Only some small Cosmetic Rep. 60mm = demo
A9727	37.25R35 Michelin XRS ** E-4 Clean no repairs (Slatevale heeft band) 51mm = 96%
CT10-423	37.25R35 Michelin XTS ** E-3 2x Repairs + Cosm. Rep. 24mm = 51%
	0 37.25R35 Michelin XTS ** E-3 1x Repairs + Cosm. Rep. 21mm = 45%
3H16-805	37.5 - 39 Goodyear HRL-3F 36pr 1x Big Repair 38mm = 70%
3H16-1017	45/65R39 Bridgestone VSDL * L-5 2x Repair + Cosm. Rep 77mm = 67%
bak 5	45/65R39 Michelin XLDD2 A * L-5 Only cosmetic repairs sidewall 70-75mm
3H16-801	45/65R39 Michelin X Mine D2 * L-5 1x Repair + cosm. Rep. 116mm = New
3H16-1018	45/65R39 Michelin X Mine D2 * L-5 Only some Cosm. Rep. 40mm = 35%
A9350	45/65R45 Bridgestone VSNL ** L-4 New Tyre, no serial nr. 75mm = NEW
A9300	45/65R45 Michelin XLDD1 A * L-4 2x small repairs + cosm. Rep. 50mm = 70%
3H16-892	45/65R45 Michelin XLDD1 A * L-4 1x small repairs + cosm. Rep. 42mm = 60%
	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30mm = 26%
	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30-25mm = 22-26%
3H16-801	45/65R39 Michelin X Mine D2 * L-5 1x Repair + cosm. Rep. 116mm = New
3H16-1018	45/65R39 Michelin X Mine D2 * L-5 Only some Cosm. Rep. 40mm = 35%
A9350	45/65R45 Bridgestone VSNL ** L-4 New Tyre, no serial nr. 75mm = NEW
A9300	45/65R45 Michelin XLDD1 A * L-4 2x small repairs + cosm. Rep. 50mm = 70%
3H16-892	45/65R45 Michelin XLDD1 A * L-4 1x small repairs + cosm. Rep. 42mm = 60%
	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30mm = 26%
	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30-25mm = 22-26%
3H1-454	775/65R29 Michelin XAD-65 ** E-3 6x small nail repairs 15mm = 35%
A7065	775/65R29 Remould M-Mine D1 (gesneden) 8x kleine spijkermanchetten 52MM = 85%
A7066	775/65R29 Remould M-Mine D1 (gesneden) 4x kleine spijkermanchetten 52MM = 85%
A7069	775/65R29 Remould M-Mine D1 (gesneden) 2x kleine spijkermanchetten 52MM = 85%
A7070	775/65R29 Remould M-Mine D1 (gesneden) 10x kleine spijkermanchetten 52MM = 85%
TW87227	775/65R29 Schelkmann XHA Remould NEW
TW87228	775/65R29 Schelkmann XHA Remould NEW
CT0-67	800/65R29 Goodyear GP-4D ** 1 repair + cosm. Rep. 38mm= 71%
	0 875/65R29
A9113	33.25R35 Bridgestone VKT ** E-3 Cosmetic repairs on bead 32mm = 65%
3H5-978	35/65R33 Bridgestone VSDL * L-5 1x Repair + Cosm. Rep. 87mm = 92%
A10885	35/65R33 Bridgestone VSDL ** L-5 Only some Cosm rep 85mm = 90%
3H10-764	875/65R33 GOODYEAR RT-5D ** L-5 No Repairs DOT 2017 NEW !!
3H5-976	875/65R33 GOODYEAR RL-5K ** L-5 Hi Stab. 1x Repair + Cosm. Rep 90mm = 95%
3H5-977	875/65R33 GOODYEAR RL-5K ** L-5 Hi Stab. 1x Repair + Cosm. Rep 77mm = 82%
	35/65R33 Michelin X-Mine D2 ** L-5 no Repairs clean 93mm = 100%
	35/65R33 Michelin X-Mine D2 ** L-5 no Repairs clean 91mm = 98%
3H5-979	35/65R33 Remould RL-4K ** L-4 Bandag (segment) Remould 65mm = new

Range of used OTR Tyres

Current stock week 40 - 2019

3H5-980	35/65R33 Remould RL-4K ** L-4 Bandag (segment) Remould 65mm = new
A9529	35/65-33 SIMEX SE-65 L-5 42pr Clean, no repairs 88mm = 85%
A11009	35/65R35 Michelin XTXL ***/**** L4/E4 Only some small Cosmetic Rep. 60mm = demo
A9727	37.25R35 Michelin XRS ** E-4 Clean no repairs (Slatevale heeft band) 51mm = 96%
CT10-423	37.25R35 Michelin XTS ** E-3 2x Repairs + Cosm. Rep. 24mm = 51%
	0 37.25R35 Michelin XTS ** E-3 1x Repairs + Cosm. Rep. 21mm = 45%
3H16-805	37.5 - 39 Goodyear HRL-3F 36pr 1x Big Repair 38mm = 70%
3H16-1017	45/65R39 Bridgestone VSDL * L-5 2x Repair + Cosm. Rep 77mm = 67%
bak 5	45/65R39 Michelin XLDD2 A * L-5 Only cosmetic repairs sidewall 70-75mm
3H16-801	45/65R39 Michelin X Mine D2 * L-5 1x Repair + cosm. Rep. 116mm = New
3H16-1018	45/65R39 Michelin X Mine D2 * L-5 Only some Cosm. Rep. 40mm = 35%
A9350	45/65R45 Bridgestone VSNL ** L-4 New Tyre, no serial nr. 75mm = NEW
A9300	45/65R45 Michelin XLDD1 A * L-4 2x small repairs + cosm. Rep. 50mm = 70%
3H16-892	45/65R45 Michelin XLDD1 A * L-4 1x small repairs + cosm. Rep. 42mm = 60%
	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30mm = 26%
	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30-25mm = 22-26%
	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30-25mm = 22-26%