

Range of used OTR tyres**Current stock week 14**

3H4-1107	12.00R20 Goodyear RL-5K No Repairs 62mm = Demo
3H18-1135	12.00-20 Nokian Mine King L5 Slick 20pr No Repairs (DOT2013) 41mm = NEW
3H18-1136	12.00-20 Nokian Mine King L5 Slick 20pr No Repairs (DOT2013) 41mm = NEW
3H18-1137	12.00-20 Nokian Mine King L5 Slick 20pr No Repairs (DOT2013) 41mm = NEW
3H18-1138	12.00-20 Nokian Mine King L5 Slick 20pr No Repairs (DOT2013) 41mm = NEW
3H5-1825	14.00R20 Pirelli PS-22 No repairs 22mm = New
3H5-1826	14.00R20 Pirelli PS-22 No repairs 22mm = New
3H21-1508	14.00R20 Michelin XZL No Repairs 12mm
A11106	16.00R20 Michelin XZL No Repairs 19mm = 70%
A11107	16.00R20 Michelin XZL No Repairs 24mm = 89%
A11108	16.00R20 Michelin XZL No Repairs 20mm = 74%
A11109	16.00R20 Michelin XZL No Repairs 20mm = 74%
3H3-1805	16.00R20 Michelin XZL No Repairs Demo/New
A11279	12.00-24 Bridgestone STMS 20pr Slick No Repairs 55mm = demo
3H4-1104	12.00-24 Goodyear HRL-3A No Repairs 22mm = Demo
3H20-1218	12.00-24 Goodyear HRL-3A No Repairs 22mm = Demo
A10719	12.00-24 Henan Slick No Repairs 30mm
A10720	12.00-24 Henan Slick No Repairs 30mm
3H4-1108	12.00R24 Michelin X Mine D2 * L-5 1x Rep + cosm Rep. 44mm = 77%
3H18-685	12.00R24 Michelin X Mine D2 * L-5 No repairs 30mm = 53%
3H18-686	12.00R24 Michelin X Mine D2 * L-5 No repairs 23mm = 40%
A11116	13.00R24 Bridgestone VUT * L-2 No Repairs 25mm = demo
A11117	13.00R24 Bridgestone VUT * L-2 No Repairs 25mm = demo
3H15-1600	14.00-24 Advance Industrial E-4 28pr No Repairs New
3H20-1219	14.00R24 Bridgestone VCH E3 No Repairs 33 = New
3H19-1193	14.00R24 Bridgestone VHB E2 No Repairs 20mm = 85%
3H19-1194	14.00R24 Bridgestone VHB E2 Only some Cosm. Rep. 20mm = 85%
3H19-1195	14.00R24 Bridgestone VHB E2 Only some Cosm. Rep. 20mm = 85%
3H19-1196	14.00R24 Bridgestone VHB E2 Only some Cosm. Rep. 20mm = 85%
3H3-1328	14.00R24 Double Coin REM 8 No Repairs 22mm = Demo
3H12-1346	14.00R24 Double Coin REM 8 No Repairs 22mm = Demo
3H12-1347	14.00R24 Double Coin REM 8 No Repairs 22mm = Demo
3H12-1348	14.00R24 Double Coin REM 8 No Repairs 22mm = Demo
A11370	14.00R24 Goodyear AS-3A No Repairs 12mm
A11371	14.00R24 Goodyear AS-3A No Repairs 12mm
3H4-1090	14.00R24 Remould MGLA2 L-2 Michelin casing with 2x Rep. 28mm = 100%
3H4-1091	14.00R24 Remould MGLA2 L-2 Michelin casing with 2x Rep. 28mm = 100%
3H4-1092	14.00R24 Remould MGLA2 L-2 Bridgestone casing with 2x Rep. 28mm = 100%
3H4-1093	14.00R24 Remould MGLA2 L-2 Michelin Casing With 5 nail rep + cosm 28mm = 100%
3H4-1094	14.00R24 Remould MGLA2 L-2 Bridgestone Casing, no Repairs. 28mm = 100%
3H4-1095	14.00R24 Remould MGLA2 L-2 Bridgestone Casing, no Repairs. 28mm = 100%
3H15-1474	14.00R24 Remould MGLA2 L-2 Michelin casing with 2x Rep. 28mm = 100%
3H15-1475	14.00R24 Remould MGLA2 L-2 Michelin casing with 2x Rep. 28mm = 100%
3H15-1476	14.00R24 Remould MGLA2 L-2 Michelin casing with 2x Rep. 28mm = 100%
3H15-1477	14.00R24 Remould MGLA2 L-2 Michelin casing with Cosm Rep 28mm = 100%
3H15-1478	14.00R24 Remould MGLA2 L-2 Michelin casing with 1x Rep. 28mm = 100%
3H15-1479	14.00R24 Remould MGLA2 L-2 Michelin casing with 2x Rep. 28mm = 100%
3H17-1677	14.00R24 Michelin XGLA2 L-2 No Repairs 28mm = demo
3H17-1678	14.00R24 Michelin XGLA2 L-2 No Repairs 23mm = 82%
3H17-1679	14.00R24 Michelin XGLA2 L-2 No Repairs 23mm = 82%
3H17-1680	14.00R24 Michelin XGLA2 L-2 No Repairs 23mm = 82%
A11118	14.00R24 Michelin XGLA2 L-2 No Repairs 17mm = 68%
A9936	14.00R24 Michelin X-Lisse No Repairs New

Range of used OTR tyres**Current stock week 14**

A9937	14.00R24 Michelin X-Lisse No Repairs New
A9938	14.00R24 Michelin X-Lisse No Repairs New
A9939	14.00R24 Michelin X-Lisse No Repairs New
3H17-954	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs 42mm = 67%
3H12-1710	14.00R24 Michelin XZM Stabil X Ind-4 Cosm Rep 47mm = 75%
3H3-873	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs 52mm = 83%
3H15-1704	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs 63mm = demo
3H12-1712	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs, middle of pattern block damaged . 57mm = 90%
3H12-1711	14.00R24 Michelin XZM Stabil X Ind-4 No Repairs, middle of pattern block damaged . 57mm = 90%
A11277	14.00R24 Remould MHA Bit dry between the lugs 25mm = new
A11278	14.00R24 Remould MHA Bit dry between the lugs 25mm = new
3H3-1327	14.00R25 Goodyear EV-4S ***IND-4 No Repairs 51mm = demo
A11274	14.00R25 Triangle TB516S *** E-4 No Repairs 37mm = new
A11275	14.00R25 Triangle TB516S *** E-4 No Repairs 37mm = new
A11276	14.00R25 Triangle TB516S *** E-4 No Repairs 37mm = new
3H2-547	15.00R24 Michelin (Remould) XLC slick No Repairs 21mm = 100%
3H2-1054	15.00R24 Remould XL C slick Michelin Radial Casing, Cosm. Rep. 21mm = 100%
3H2-1055	15.00R24 Remould XL C slick Michelin Radial Casing, Cosm. Rep. 21mm = 100%
3H2-1056	15.00R24 Remould XL C slick Michelin Radial Casing, Cosm. Rep. 21mm = 100%
3H19-1199	16.00R25 Barkley BLB03S E4 No Repairs 41mm = 95%
3H11-1813	16.00R25 Bridgestone VCHR ** Ind No Repairs Demo/New
3H10-1392	16.00R25 Michelin Stabil X No Repairs demo / new
3H15-1687	16.00R25 Michelin XLB 177E No Repairs 24mm = 83%
3H15-1688	16.00R25 Michelin XLB 177E No Repairs 24mm = 83%
3H15-1689	16.00R25 Michelin XLB 177E No Repairs 24mm = 83%
3H4-1741	16.00R25 Michelin XLB 177E No Repairs demo/New
3H13-1646	16.00R25 Michelin XGC No Repairs 12mm = 48%
3H13-1653	16.00R25 Michelin XGC Cosm Rep 14mm = 56%
TW99419	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99420	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99421	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99422	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99423	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99424	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99425	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
TW99426	16.00R25 Remould CDT ** E-4 New Tyres with radial casing New
A10637	18.00-25 Bridgestone Smooth Tread L5S 28pr No Repairs, DOT 2008 84mm = demo
3H13-1703	18.00-25 Bridgestone Smooth Tread L5S 28pr No Repairs, DOT 2010 84mm = demo
3H3-1131	18.00R25 Linglong LB03S ** E-4 Radial Dumptruck tyre 46mm = New
3H3-1132	18.00R25 Linglong LB03S ** E-4 Radial Dumptruck tyre 46mm = New
3H3-1133	18.00R25 Linglong LB03S ** E-4 Radial Dumptruck tyre 46mm = New
3H3-1134	18.00R25 Linglong LB03S ** E-4 Radial Dumptruck tyre 46mm = New
A9261	18.00R25 Michelin XR-B ** E-3 No repairs older DOT demo/new
A9262	18.00R25 Michelin XR-B ** E-3 No repairs older DOT demo/new
3H17-640	18.00R25 Michelin XR-B ** E-3 No Repairs 26mm = 93%
3H17-641	18.00R25 Michelin XR-B ** E-3 No Repairs 24mm = 86%
3H17-638	18.00R25 Michelin XVC ** E-2 (186E) No Repairs 17mm = 68%
3H17-639	18.00R25 Michelin XVC ** E-2 (186E) No Repairs 18mm = 70%
CT7-281	18.00R25 Michelin XHD1 ** E-4 Only some Cosm. Rep. 40mm = 85%
CT7-282	18.00R25 Michelin XHD1 ** E-4 Only some Cosm. Rep. 40mm = 85%
CT7-283	18.00R25 Michelin XHD1 ** E-4 Only some Cosm. Rep. 40mm = 85%
CT7-284	18.00R25 Michelin XHD1 ** E-4 Only some Cosm. Rep. 40mm = 85%
A11129	18.00R25 Michelin X Mine D2 * L-5 No Repairs old DOT 80mm = demo
3H18-1141	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New

Range of used OTR tyres**Current stock week 14**

3H18-1142	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
3H18-1143	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
3H18-1144	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
t/m 3H18-1161	18.00-25 Nokian Mine King L-5S 28pr No Repairs, New, (DOT2014) 79mm = New
3H4-1102	18.00R25 Remould XR-B ** E-3 No Repairs New 30mm = New
3H4-1236	18.00R25 Remould XR-B ** E-3 No Repairs New 30mm = New
3H12-1307	18.00-33 Remould XDT E4T X-ply Casing 56mm = new
3H12-1308	18.00-33 Remould XDT E4T X-ply Casing 56mm = new
3H12-1309	18.00-33 Remould XDT E4T X-ply Casing 56mm = new
3H12-1310	18.00-33 Remould XDT E4T X-ply Casing 56mm = new
3H21-1503	18.00R33 Bridgestone VCHS Cosm Rep 66mm = 94%
CT14-409	18.00R33 BRIDGESTONE VRQP ** E-4 Only some Cosm. Rep. 44mm = 69%
CT11-369	18.00R33 Michelin X-Quarry-S ** E-3 1x Repair+ cosm. Rep 60mm = 97%
3H4-496	18.00R33 Michelin X-Quarry-S ** E-4 1x Repair+ cosm. Rep 60mm = 97%
CT	21.00R25 MICHELIN XKD1 A ** E-4 No Repairs, 42mm = 99%
3H18-1726	21.00-25 Continental Crane Master E-3 No Repairs 34mm = 80%
3H12-558	21.00-25 Continental Crane Master E-3 Only some Cosm rep. 34mm = 80%
3H6-729	21.00-25 Continental Crane Master E-3 Only some Cosm rep. 40mm = 93%
3H6-730	21.00-25 Continental Crane Master E-3 Only some Cosm rep. 40mm = 93%
3H6-726	21.00R25 Michelin XS ** E2 Only some Cosm. Rep. (oude DOT) 15mm = 80%
3H6-728	21.00R25 Michelin XS ** E2 Only some Cosm. Rep. (oude DOT) 16mm = 84%
3H13-1294	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H13-1295	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H14-745	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H14-746	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H14-747	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
3H14-748	21.00R33 Remould VMTP ** E-4 (Bandag) Br. Casing New
TW8773	21.00R33 Bridgestone VMTP ** E-4 only some Cosm Rep. 51mm = 84%
3H19-1245	21.00R33 Michelin X-Traction E4T No Repairs, small cosm. Damage on sidewall 53mm = 69%
A7932	21.00R35 BRIDGESTONE VELS ** E-4 Top Tyre clean 56mm = 96%
A10273	21.00R35 BRIDGESTONE VMTP ** E4 No Repairs, little dry between lugs 61mm = 99%
3H16-893	21.00R35 BRIDGESTONE VMTP ** E4 only some cosm Rep 55mm = 90%
3H16-894	21.00R35 BRIDGESTONE VMTP ** E4 only some cosm Rep 50mm = 82%
3H16-895	21.00R35 BRIDGESTONE VMTP ** E4 only some cosm Rep 55mm = 90%
A7389	21.00-35 BRIDGESTONE E-Lug S E-4 No Repairs 55mm = 82%
A11140	21.00-35 General CRL150 E-4 36pr No Repairs New
A11340	21.00R35 Michelin XDT A4** E-4 No Repairs 57mm = 93%
A7742	24.00-29 GOODYEAR ALL WEATHER EM 24PR TL OP VELG 0,95
A11010	24.00R35 Bridgestone VMTP ** E-4 (E2A) 1 Rep + cosm rep 48mm = 66%
A10957	24.00R35 Bridgestone VRQP ** E-4 (E2A) No Repairs 71mm = demo
A11136	24.00-35 Eurotire U-14 E-4 42pr No Repairs demo
A11137	24.00-35 Eurotire U-14 E-4 42pr No Repairs demo
A11138	24.00-35 Eurotire U-14 E-4 42pr No Repairs demo
A11139	24.00-35 Eurotire U-14 E-4 42pr No Repairs demo
3H15-1624	24.00R35 Goodyear RT-4A+ ** E-4 2x Repair + Cosm. Rep. 34mm = 48%
3H15-1625	24.00R35 Goodyear RT-4A+ ** E-4 Cosm. Rep. 34mm = 48%
3H15-1626	24.00R35 Goodyear RT-4A+ ** E-4 Cosm. Rep. 34mm = 48%
A10979	24.00R35 Michelin X-TRACTION ** E-4 No Repairs 38mm = 54%
A11341	24.00R35 Michelin X-TRACTION ** E-4 2 repairs + cosm rep 33mm = 47%
CT10-413	24.00R49 MICHELIN XDT A ** E-4 only some cosm Rep 63mm = 93%
CT10-414	24.00R49 MICHELIN XDT A ** E-4 only some cosm Rep 63mm = 93%

Range of used OTR tyres**Current stock week 14**

A9528	31/90R49 Bridgestone VELS ** E4 (E2A) No Repairs /No Serial numbers New
3H16-804	27.00R49 Bridgestone VRDP ** E4 only some cosm. Rep. 28mm = 37%
A11142	27.00R49 Eurotire U-12 E-4 48pr No Repairs 69mm = 98%
A11143	27.00R49 Goodyear RL-4H ** E-4 No Repairs, small damage on sidewall 64mm = demo
	27.00R49 Michelin X-Traction A4 ** E4 1x Repair + cosm. Rep 66mm = 80%
3H16-1660	27.00R49 Michelin XDT Cosm Rep 27mm = 36%
3H1-1318	15.5R25 BKT Earth max SR23 No repairs 26mm = demo
3H1-1319	15.5R25 BKT Earth max SR23 No repairs 26mm = demo
3H18-653	15.5R25 Goodyear GP-2B * L-3 No Repairs 19mm = 76%
3H1-1320	15.5R25 Michelin XHA No Repairs 12mm =46%
3H1-1337	15.5R25 Michelin XHA 1 Repair + cosm rep. 19mm = 73%
3H13-1645	15.5R25 Michelin XHA No Repairs 26mm = demo
3H13-1767	15.5R25 Michelin XTLA * L-2 a bit dry between the lugs 10mm = 40%
3H20-1229	15.5R25 Michelin XTLA L-2 No Repairs 13mm = 52%
A10887	15.5R25 Michelin XTLA L-2 1 repair + cosm rep. 19mm = 73%
3H1-1029	15.5-25 Remould MHA L3 X-ply casing 12pr new
3H1-1030	15.5-25 Remould MHA L3 X-ply casing 12pr new
3H1-1031	15.5-25 Remould MHA L3 X-ply casing 12pr new
3H1-1032	15.5-25 Remould MHA L3 X-ply casing 12pr new
3H5-1428	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1429	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1430	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1431	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1434	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1435	15.5R25 Remould MHA L3 (michelin casing) new
3H5-1436	15.5R25 Remould MHA L3 (michelin casing) new
3H1-1464	15.5R25 Remould MHA L3 (michelin casing) new
3H3-1725	15.5R25 Remould MHA L3 Michlin Casing, Cosm Rep 14mm = 50%
3H3-1630	15.5R25 Remould M Mine D2 L-5 Cosm Rep (bridgestone karkas) 60mm New
3H3-1631	15.5R25 Remould M Mine D2 L-5 2x Rep + Cosm (bridgestone karkas) 60mm New
3H2-1073	17.5R25 Aeolus A2233 L5 No Repairs 33mm = 52%
3H2-1074	17.5R25 Aeolus A2233 L5 No Repairs 34mm = 53%
A9940	17.5-25 BKT SM-55 L-5Slick No Repairs 65mm = Demo
3H18-654	17.5R25 Bridgestone VJT L3 No repairs 30mm = new
3H18-658	17.5R25 Bridgestone VJT L3 No repairs 30mm = new
3H20-1200	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
3H20-1201	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
3H20-1202	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
3H20-1203	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
3H20-1204	17.5R25 Bridgestone VKT L2 No repairs 28mm = New
A8193	17.5R25 Bridgestone VSW * L-2 snow No Repairs 16mm = 60%
A8189	17.5R25 Bridgestone VSW * L-2 snow No Repairs 18mm = 66%
A8190	17.5R25 Bridgestone VSW * L-2 snow No Repairs 18mm = 66%
A8191	17.5R25 Bridgestone VSW * L-2 snow No Repairs 18mm = 66%
A8192	17.5R25 Bridgestone VSW * L-2 snow No Repairs 18mm = 66%
A8194	17.5R25 Bridgestone VSW * L-2 snow No Repairs 18mm = 66%
3H9-1742	17.5R25 Bridgestone VSW * L-2 snow No Repairs 23mm = 82%
3H9-1743	17.5R25 Bridgestone VSW * L-2 snow No Repairs 23mm = 82%
A10233	17.5R25 Bridgestone VSDL * L-5 small cosm Rep. 68mm = 99%
A9098	17.5R25 Bridgestone VSMS * L-5 S 1x repair New/demo
A11131	17.5R25 Bridgestone VSMS * L-5 S No Repairs New/demo
3H2-537	17.5R25 Bridgestone VSMS * L-5 S No Repairs 67mm = 99%
3H2-538	17.5R25 Bridgestone VSMS * L-5 S No Repairs 67mm = 99%
3H11-1721	17.5R25 Bridgestone VSMS * L-5 S No Repairs New
3H12-1775	17.5R25 Goodyear AS-3A * winter L-2 No Repairs 20mm = 74%

Range of used OTR tyres**Current stock week 14**

3H12-1776	17.5R25 Goodyear AS-3A * winter L-2 No Repairs 20mm = 74%
A9959	17.5-25 Goodyear SM-3A 36pr L-3S No Repairs 28mm = 99%
A9960	17.5-25 Goodyear SM-3A 36pr L-3S No Repairs 28mm = 99%
A9961	17.5-25 Goodyear SM-3A 36pr L-3S No Repairs 28mm = 99%
A9962	17.5-25 Goodyear SM-3A 36pr L-3S No Repairs 28mm = 99%
A9641	17.5R25 Goodyear GP-2B * L-3 No repairs 23mm = 90%
CT6-318	17.5R25 Goodyear GP-2B * L-3 1x small repair 13mm = 52%
3H14-1455	17.5R25 Goodyear RT-3B * L-3 No Repairs 29mm = demo
3H14-1456	17.5R25 Goodyear RT-3B * L-3 No Repairs 29mm = demo
3H14-1457	17.5R25 Goodyear RT-3B * L-3 No Repairs 29mm = demo
3H14-1458	17.5R25 Goodyear RT-3B * L-3 No Repairs 29mm = demo
A11111	17.5R25 Goodyear RT-3B * L-3 No Repairs 12mm = 41%
CT3-335	17.5R25 Michelin XTL A L-3 No Repairs DOT2009 demo
A10975	17.5R25 Michelin XHA * L3 No Repairs 23mm = 82%
A10266	17.5R25 Michelin XLDD2 A * L-5 No Repairs 14mm = 23%
3H2-1571	17.5R25 Michelin XLDD2 A * L-5 Cosm Rep 27mm = 43%
3H2-1570	17.5R25 Michelin XLDD2 A * L-5 1 Rep + Cosm Rep 39mm = 62%
3H11-1526	17.5R25 Michelin XLDD2 A * L-5 No Repairs 44mm = 72%
3H15-1758	17.5R25 Michelin XTLA L-2 1 Repair + Cosm rep 20mm = 71%
3H15-1759	17.5R25 Michelin XTLA L-2 2 Repair + cosm rep 20mm = 71%
3H13-1766	17.5R25 Michelin XTLA * L-2 4 Repairs + Cosm rep 20mm = 71%
3H15-1760	17.5R25 Michelin XTLA L-2 2 Repairs 28mm demo
3H15-1761	17.5R25 Michelin XTLA L-2 a bit dry between the lugs 28mm demo
A10838	17.5-25 Nordmann (Nokian) XLDD2 A L-5 24pr Tyre Slick regrooved as a XLDD2 pattern New / 64mm
A10839	17.5-25 Nordmann (Nokian) XLDD2 A L-5 24pr Tyre Slick regrooved as a XLDD2 pattern New / 64mm
A10840	17.5-25 Nordmann (Nokian) XLDD2 A L-5 24pr Tyre Slick regrooved as a XLDD2 pattern New / 64mm
A10841	17.5-25 Nordmann (Nokian) XLDD2 A L-5 24pr Tyre Slick regrooved as a XLDD2 pattern New / 64mm
3H15-1238	17.5R25 Remould M Snow L2 1x Repair, Demo 27mm = Demo
3H15-1239	17.5R25 Remould M Snow L2 1x Repair, Demo 27mm = Demo
3H15-1240	17.5R25 Remould M Snow L2 2x Repair, Demo 27mm = Demo
3H20-1212	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = new
3H20-1213	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = New
3H20-1215	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = New
3H20-1216	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = new
3H20-1217	17.5-25 Taishan TS44 L3 16pr No Repairs 24mm = New
3H11-1736	20.5R25 Aeolus AL37 ** L3/E3 Cosm Rep 30mm = 86%
A11225	20.5R25 Aeolus AL37 ** L3/E3 No Repairs 30mm = 86%
3H8-986	20.5R25 Aeolus AL-53 ** L-5 2x Repair + Cosm Rep. 30mm = 43%
A11232	20.5R25 Aeolus AL-53 ** L-5 Regrooved 14mm = 20%
A11233	20.5R25 Aeolus AL-53 ** L-5 Regrooved 14mm = 20%
A11234	20.5R25 Aeolus AL-53 ** L-5 Regrooved 14mm = 20%
A11235	20.5R25 Aeolus AL-53 ** L-5 1 Repair + regrooved 14mm = 20%
3H1-458	20.5R25 Aeolus AL-53 ** L-5 on Rim filled with Polyurethane 61mm = 88%
A11331	20.5R25 Aeolus AL-53 L-5 1 repair + cosm rep 61mm = 88%
3H5-1304	20.5R25 BRIDGESTONE VJT L3 No Repairs 29mm = 88%
3H11-1769	20.5R25 BRIDGESTONE VJT * L3 No Repairs 32mm = 99%
3H11-1770	20.5R25 BRIDGESTONE VJT * L3 No Repairs 32mm = 99%
3H11-1771	20.5R25 BRIDGESTONE VJT * L3 No Repairs 32mm = 99%
3H11-1772	20.5R25 BRIDGESTONE VJT * L3 No Repairs 32mm = 99%
3H15-1777	20.5R25 BRIDGESTONE VJT * L3 No Repairs 31mm = 97%
A11291-1	20.5R25 BRIDGESTONE VJT * L3 5 Repairs + cosm rep + regrooved 18mm = 52%
A11292-2	20.5R25 BRIDGESTONE VJT * L3 5 Repairs + regrooved 18mm = 52%
A11293-3	20.5R25 BRIDGESTONE VJT * L3 2 Repairs + regrooved 15mm = 45%
A11294-4	20.5R25 BRIDGESTONE VJT * L3 1 Repair + cosm rep + regrooved 15mm = 45%
A11309	20.5R25 BRIDGESTONE VJT * L3 Regrooved 13mm = 40%
A10784	20.5R25 BRIDGESTONE VLT 1 Repair 38mm = 95%
3H11-1821	20.5R25 BRIDGESTONE VMT * No repairs 10mm = 30%

Range of used OTR tyres**Current stock week 14**

3H8-749	20.5-25 BRIDGESTONE D-lug L-5 16pr No Repairs , DOT2013 New
3H8-750	20.5-25 BRIDGESTONE D-lug L-5 16pr No Repairs , DOT2015 New
3H11-1819	20.5R25 BRIDGESTONE VSDL ** L-5 No repairs 27mm = 35%
3H17-1824	20.5R25 BRIDGESTONE VUT * L-2 No repairs 30mm = Demo
A10916	20.5R25 Goodyear RT-3B * L-3 Only Cosm. Rep. Demo/new
A11255	20.5R25 Goodyear TL-3A+ ** E3/L3 No Repairs 18mm = 45%
A11337	20.5R25 Goodyear RL-5K ** L-5 1 repair + cosm rep 53mm = 75%
3H17-1823	20.5R25 MICHELIN XTLA * L-2 No repairs 31mm Demo
A11151	20.5R25 Michelin XHA * L3 1 Rep + Cosm + Regrooved 13mm = 42%
A11152	20.5R25 Michelin XHA * L3 2 Rep + cosm + Regrooved 14mm = 45%
A11167	20.5R25 Michelin XHA * L3 Cosm + regrooved 14mm = 45%
3H6-1633	20.5R25 MICHELIN XHA-2 L3 No Repairs 12mm = 36%
A11201	20.5R25 MICHELIN XHA-2 L3 No Repairs 12mm = 36%
A11365	20.5R25 MICHELIN XHA-2 * L3 Cosm repair 14mm = 42%
3H11-1569	20.5R25 MICHELIN XHA-2 * L3 Small damages on the tread +small nail Repairs 29mm = 88%
3H8-1572	20.5R25 MICHELIN XHA-2 * L3 Cosm Rep. 31mm = 94%
A11287-1	20.5R25 MICHELIN XHA-2 * L3 Regrooved 10mm = 30%
A11288-2	20.5R25 MICHELIN XHA-2 * L3 Regrooved 10mm = 30%
A11289-3	20.5R25 MICHELIN XHA-2 * L3 Regrooved 10mm = 30%
A11290-4	20.5R25 MICHELIN XHA-2 * L3 Regrooved 12mm = 36%
A11307	20.5R25 MICHELIN XHA-2 * L3 Regrooved 12mm = 36%
A11308	20.5R25 MICHELIN XHA-2 * L3 Regrooved 12mm = 36%
A11305	20.5R25 MICHELIN XHA-2 * L3 Cosm rep + regrooved 19mm = 58%
A11306	20.5R25 MICHELIN XHA-2 * L3 Cosm rep + regrooved 19mm = 58%
3H12-1340	20.5R25 MICHELIN Xmine D2 * L-5 4 Repairs + cosm rep 32mm = 44%
A10849	20.5R25 MICHELIN Xmine D2 ** L-5 2 Repairs + cosm rep 68mm = 92%
3H21-1509	20.5R25 MICHELIN Xmine D2 * L-5 No Repairs 74mm = demo
A11128	20.5R25 MICHELIN XSM D2 ** L-5 slick only some Cosm. Rep 48mm = 62%
A11110	20.5R25 Remould MHA L3 No Repairs 32mm = 97%
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) MR-202 New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) MR-202 New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) MR-202 New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) MR-202 New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) MR-202 New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) MR-202 New
buithar5	20.5R25 Remould Forrest LS Radial Casing (Mesas) MR-202 New
A9897	20.5R25 Remould X Snowplus only Cosm. Repairs demo
A11076	20.5R25 Remould MHA2 L3 4 Repairs 33mm = NEW
3H13-1763	20.5R25 Trelleborg EMR1030 L3/E3 Cosm Rep 28mm = 77%
A10842	20.5R25 Triangle TL538S+ 1 repair + cosm rep 60mm = 82%
A10783	23.5R25 Aeolus AL36 ** L3/E3 1 Repair 34mm = 98%
A10782	23.5R25 Aeolus AL37 ** L3/E3 1 Repair 33mm = 86%
3H14-1655	23.5R25 Aeolus AL37 ** L3/E3 only some small Cosm. Repair on sidewall 38mm Demo
A11353-1	23.5R25 Aeolus AL37 ** L3/E3 2 repairs + cosm rep + Regrooved 15mm = 40%
A11354-2	23.5R25 Aeolus AL37 ** L3/E3 cosm rep. + Regrooved 15mm = 40%
A11355-3	23.5R25 Aeolus AL37 ** L3/E3 2 repairs + cosm rep + Regrooved 15mm = 40%
A11356-4	23.5R25 Aeolus AL37 ** L3/E3 3 repairs + cosm rep + Regrooved 15mm = 40%
A11366	23.5R25 Aeolus AL37 ** L3/E3 some nail Repairs + Regrooved 15mm = 40%
3H12-1343	23.5R25 Aeolus AE47 ** L4/E4 1 Repair + cosm Rep 42mm = 92%
A11058	23.5R25 Aeolus AL53 ** L-5 1 Rep + Regrooved 12mm = 15%
A11057	23.5R25 Aeolus AL53 ** L-5 Regrooved 22mm = 27%
A10853	23.5R25 Aeolus AL53 ** L-5 1 Repair + cosm rep 73mm = 95%
A11332	23.5R25 Aeolus AL53 ** L-5 1 repair + cosm rep 73mm = 95%
A8760	23.5-25 Bridgestone R Lug S E-4 20pr no repairs NEW
A11317	23.5R25 Bridgestone VJT * L-3 2 repairs + cosm rep + Regrooved 19mm = 54%
A11318	23.5R25 Bridgestone VJT * L-3 2 repairs + cosm rep + Regrooved 19mm = 54%

Range of used OTR tyres**Current stock week 14**

A11183	23.5R25 Bridgestone VJT * L-3 4x small nail Repair + Regrooved 19mm = 54%
A11231	23.5R25 Bridgestone VJT * L-3 1 Repair 23mm = 67%
A11329	23.5R25 Bridgestone VJT * L-3 1 repair + cosm 23mm = 67%
A11211	23.5R25 Bridgestone VLT */** L3/E3 No Repairs 21mm = 50%
CT15-90	23.5R25 Bridgestone VLTS */** L4/E4 1x Repair + Cosm. Rep 24mm = 45%
CT3-334	23.5R25 Bridgestone VLTS */** L4/E4 1x Repair + Cosm. Rep 31mm = 57%
A10441	23.5R25 Bridgestone VLTS */** L4/E4 2x Repair + Cosm. Rep 44mm = 81%
A11132	23.5R25 Bridgestone VSDL ** L-5 1 Repair + Cosm 79mm = 91%
A11311	23.5R25 Bridgestone VSDL L-5 1 repair + cosm rep + regrooved 21mm = 25%
A11312	23.5R25 Bridgestone VSDL L-5 1 repair + cosm rep + regrooved 21mm = 25%
A11313	23.5R25 Bridgestone VSDL L-5 2 repair + cosm rep + regrooved 21mm = 25%
3H14-1814-1	23.5R25 Bridgestone VSDL ** L-5 No Repairs 85mm = 98%
3H14-1815-2	23.5R25 Bridgestone VSDL ** L-5 No Repairs 85mm = 98%
3H14-1816-3	23.5R25 Bridgestone VSDL ** L-5 No Repairs 85mm = 98%
3H14-1817-4	23.5R25 Bridgestone VSDL ** L-5 No Repairs 85mm = 98%
A10638	23.5R25 Bridgestone VSDT L-5 No Repairs (met polyurethaan) 78mm = 100%
A10848	23.5R25 Bridgestone VSDT L-5 1 Repair + cosm rep 70mm = 90%
3H14-1329	23.5R25 Goodyear RL4K ** L-4 2 Repairs + cosm repair 45mm = 83%
3H12-1344	23.5R25 Goodyear RL4K ** L-4 2 Repairs + cosm repair 45mm = 83%
A11144	23.5R25 Goodyear RL4K ** L-4 No Repairs 45mm = 83%
3H14-1324	23.5R25 Goodyear RL-5K ** L-5 No Repairs 19mm = 24%
A10465	23.5R25 Goodyear TL-3A+ ** L3/E3 No Repairs 39mm = 91%
A11171	23.5R25 Goodyear TL-3A+ ** L3/E3 Cosm + Regrooved 16mm = 37%
3H9-1705	23.5R25 Goodyear GP-4B */** E4/L4 No Repairs 33mm = 60%
3H9-1706	23.5R25 Goodyear GP-4B */** E4/L4 No Repairs 33mm = 60%
3H9-1707	23.5R25 Goodyear GP-4B */** E4/L4 No Repairs 33mm = 60%
3H9-1708	23.5R25 Goodyear GP-4B */** E4/L4 Cosm rep. sidewall 33mm = 60%
3H5-711	23.5R25 Goodyear GP-4D ** L4/E4 Only some Cosm. Rep, 52mm = 98%
3H5-712	23.5R25 Goodyear GP-4D ** L4/E4 No Repairs Demo
A10008	23.5R25 Goodyear RL-5K ** L-5 2x Repair + Cosm rep. 64mm = 80%
TW97115	23.5R25 Michelin XKA ** L-3 Cosmetic Repair 30mm = 85%
A11319	23.5R25 Michelin XHA L-3 5 small nail repairs + regrooved 19mm = 57%
3H10-1393	23.5R25 Michelin XHA L-3 No repairs NEW
3H18-1752	23.5R25 Michelin XHA L-3 No Repairs NEW
3H11-1803	23.5R25 Michelin XHA L-3 No Repairs NEW
A11269	23.5R25 Michelin XHA2 * L3 No repairs 14mm = 40%
A11303	23.5R25 Michelin XHA2 * L3 1 repair + cosm rep + Regrooved 14mm = 40%
A11302	23.5R25 Michelin XHA2 * L3 Regrooved 16mm = 44%
A11304	23.5R25 Michelin XHA2 * L3 2 repairs + cosm rep + Regrooved 16mm = 44%
A11301	23.5R25 Michelin XHA2 * L3 1 repair + cosm rep + Regrooved 18mm = 50%
A11299	23.5R25 Michelin XHA2 * L3 Regrooved 18mm = 50%
A11300	23.5R25 Michelin XHA2 * L3 Regrooved 20mm = 56%
A11330	23.5R25 Michelin XHA2 * L3 No Repairs 25mm = 76%
3H17-1822	23.5R25 Michelin XHA2 * L3 2 repairs + cosm rep 25mm = 76%
A11237	23.5R25 Michelin XHA2 * L3 1 Repair + cosm 32mm = 89%
3H14-1437	23.5R25 Michelin XHA2 * L3 1x Rep + Cosm Rep 36mm = 99%
3H9-1702	23.5R25 Michelin XADN ** E-3 Small Damages on the side 12mm = 32%
A10157	23.5R25 Michelin XADT ** L4/E4 No Repairs New
A11326	23.5R25 Michelin XADT L4/E4 Regrooved 16mm = 34%
3H15-1754	23.5R25 Michelin X Sup. Terrain ** E-4/L-4 2x Repair + Cosm. Rep sidewall 27mm = 50%
3H15-1755	23.5R25 Michelin X Sup. Terrain ** E-4/L-4 2x Repair + Cosm. Rep sidewall 27mm = 50%
A11059	23.5R25 Michelin X Mine D2 ** L5 1 Rep + Regrooved 19mm = 23%
A11073	23.5R25 Michelin X Mine D2 ** L5 Cosm + Regrooved 24mm = 29%
A11338	23.5R25 Michelin X Mine D2 ** L5 1 repair + cosm rep 70mm = 84%
A11339	23.5R25 Michelin X Mine D2 ** L5 1 repair + cosm rep 70mm = 84%
A10372	23.5-25 MRL MR-453 L3/E3 No Repairs 33mm = NEW
A9634	23.5R25 Remould MHA * L-3 2x Repair + Cosm. Rep. + Regrooved 32mm = 92%
TW97360	23.5R25 Remould MHA * L-3 1 Repair Demo

Range of used OTR tyres**Current stock week 14**

3H15-1263	23.5R25 Remould MADN ** E3 KAL Remould 1x Repair 40mm = 100%
3H11-773	23.5R25 Remould MADN ** E3 Bridg. Casing NEW
3H9-908	23.5R25 Remould MADN ** E3 (CI) Chinese Radial casing NEW
3H16-1282	23.5R25 Remould MADN 1 repair + cosm repair 37mm = 96%
3H8-1539	23.5R25 Remould MADN ** E3 Cosm Rep 32mm = 84%
3H8-1540	23.5R25 Remould MADN ** E3 No Repairs 32mm = 84%
3H8-1541	23.5R25 Remould MADN ** E3 1 Rep 32mm = 84%
3H8-1542	23.5R25 Remould MADN ** E3 No Repairs 32mm = 84%
3H15-1014	23.5R25 Remould MLDD1 * L-4 2x Repair + cosm. Rep 40mm = 80%
3H4-974	23.5R25 Remould MLDD1 * L-4 2x Repair + cosm. Rep 45mm = 90%
A11250	23.5R25 Trelleborg EMR1030 ** 1 Repair + Cosm rep 35mm = 92%
A10375	23.5R25 Yokohama RL-31 * L3 No Repairs 40mm = 99%
A10286	26.5R25 AEOLUS AL-53 ** L-5 1x Repair 90mm = 99%
3H11-1387	26.5R25 AEOLUS AL-53 ** L-5 1 rep + cosm rep 79mm = 88%
3H19-1242	26.5R25 BKT SR-50 ** L-5 1x Repair + cosm. Rep. 59mm = 68%
A10076	26.5R25 Bridgestone VJT * L-3 No Repairs 11mm = 29%
A11113	26.5R25 Bridgestone VJT * L-3 No Repairs 13mm = 34%
3H8-1550-1	26.5R25 Bridgestone VJT * L-3 No Repairs 14mm = 37%
3H8-1551-2	26.5R25 Bridgestone VJT * L-3 No Repairs 14mm = 37%
3H8-1552-3	26.5R25 Bridgestone VJT * L-3 No Repairs 16mm = 42%
3H8-1553-4	26.5R25 Bridgestone VJT * L-3 No Repairs 16mm = 42%
A10816	26.5R25 Bridgestone VJT * L-3 1 Repair 24mm = 63%
3H7-1416	26.5R25 Bridgestone VJT * L-3 1 Rep + cosm rep 33mm = 87%
3H8-1537	26.5R25 Bridgestone VJT * L-3 No Repairs 33mm = 87%
3H8-1538	26.5R25 Bridgestone VJT * L-3 No Repairs 33mm = 87%
3H15-1010	26.5R25 Bridgestone VJT * L-3 only some Cosm. Rep. on the bead Demo/99%
A11030	26.5R25 Bridgestone VJT * L-3 1 Repair 15mm = 42%
A11052	26.5R25 Bridgestone VJT * L-3 Regrooved 15mm = 42%
A10208	26.5R25 Bridgestone VJT * L-3 Only some Cosm . Rep. + Regrooved 20mm = 53%
A11051	26.5R25 Bridgestone VJT * L-3 Regrooved 20mm = 53%
A11314	26.5R25 Bridgestone VJT * L-3 1 repair + Regrooved 20mm = 53%
A11315	26.5R25 Bridgestone VJT * L-3 regrooved 20mm = 53%
A11316	26.5R25 Bridgestone VJT * L-3 regrooved 20mm = 53%
A11053	26.5R25 Bridgestone VJT * L-3 1 Rep + cosm rep + Regrooved 25mm = 70%
A11054	26.5R25 Bridgestone VJT * L-3 Regrooved 25mm = 70%
3H16-1377	26.5R25 Bridgestone VLTS 3 Repairs + cosm rep 32mm = 53%
3H15-1575	26.5R25 Bridgestone VMT L-3 No Repairs 33mm = 80%
3H14-1277	26.5R25 Bridgestone VSNT ** L-4 Only some small cosm. Rep. NEW
3H17-844	26.5R25 Bridgestone VSDL * L-5 1x Repair + cosm. Rep. 80mm = 85%
A11196	26.5R25 Bridgestone VSDT * L-5 1 Repair 69mm = 78%
A11367	26.5R25 Bridgestone VSDT ** L-5 Regrooved 26mm = 30%
A11368	26.5R25 Bridgestone VSDT ** L-5 Regrooved 26mm = 30%
A11360	26.5R25 GOODYEAR RT-3B * L-3 3 repairs + cosm + Regrooved 16mm = 40%
A10812	26.5R25 GOODYEAR RT-3B * L-3 2 Repairs + cosm rep + Regrooved 20mm = 50%
A11194	26.5R25 GOODYEAR RT-3B * L-3 Regrooved 20mm = 50%
A11195	26.5R25 GOODYEAR RT-3B * L-3 1 Repair + Regrooved 20mm = 50%
A10966	26.5R25 GOODYEAR RT-3B * L-3 1 rep + Regrooved 32mm = 80%
3H7-1417	26.5R25 GOODYEAR RT-3B * L-3 1 rep + cosm rep 12mm = 32%
A11359	26.5R25 GOODYEAR RT-3B * L-3 2 repairs + cosm. Rep. on sidewall 12mm = 32%
A10866	26.5R25 GOODYEAR RT-3B * L-3 1 Repair + cosm rep 29mm = 73%
A7443	26.5R25 GOODYEAR GP-2B* L3 1x Big Repair 41mm = new
3H11-1722	26.5R25 GOODYEAR GP-2B* L3 No Repairs, DOT 2010 41mm = new
A11041	26.5R25 GOODYEAR GP-4D ** L4/E4 3 small Rep + cosm rep + Regrooved 16mm = 30%
A11042	26.5R25 GOODYEAR GP-4D ** L4/E4 1 small Rep + cosm rep + Regrooved 16mm = 30%
A11043	26.5R25 GOODYEAR GP-4D ** L4/E4 3 small Rep + cosm rep + Regrooved 16mm = 30%
A11263	26.5R25 GOODYEAR GP-4D ** L4/E4 1 Repair 29mm = 53%
3H14-825	26.5R25 GOODYEAR RL-2+ L3/E3 1x Repair + Cosm. Rep. 16mm = 36%

Range of used OTR tyres**Current stock week 14**

3H18-1751	26.5R25 GOODYEAR RL-2+ ** L3/E3 No Repairs 42mm = New
A11286	26.5R25 GOODYEAR TL-3A+ L3/E3 2 Repairs 15mm = 32%
3H16-1378	26.5R25 GOODYEAR TL-3A+ ** L3/E3 only some Cosm. Repair 26mm = 55%
3H6-723	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Only some Cosm. Rep, 30mm = 64%
A11295	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Regrooved 13mm = 28%
A11298	26.5R25 GOODYEAR TL-3A+ ** L3/E3 cosm rep + Regrooved 15mm = 32%
A11044	26.5R25 GOODYEAR TL-3A+ ** L3/E3 cosm rep + Regrooved 18mm = 38%
A11045	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Cosm rep + Regrooved 18mm = 38%
A11296	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Cosm rep + Regrooved 20mm = 43%
A11297	26.5R25 GOODYEAR TL-3A+ ** L3/E3 Regrooved 20mm = 43%
3H7-737	26.5R25 GOODYEAR SM-5A ** L-5Slick No repairs 78mm = 90%
3H7-738	26.5R25 GOODYEAR SM-5A ** L-5Slick No repairs 85mm = 98%
3H7-739	26.5R25 GOODYEAR SM-5A ** L-5Slick Only some Cosm. Rep. 85mm = 98%
3H7-740	26.5R25 GOODYEAR SM-5A ** L-5Slick Only some Cosm. Rep. 80mm = 92%
A10210	26.5R25 HILO BDTS ** L4/E4 No Repairs 52mm = NEW
A11169	26.5R25 Michelin XADN+ E-3 1 Rep + cosm. Rep on 1 sidewall 13mm = 32%
A11170	26.5R25 Michelin XADN+ E-3 Cosm. Rep on 1 sidewall 14mm = 34%
A11168	26.5R25 Michelin XADN+ E-3 1 Rep + cosm. Rep on 1 sidewall 17mm = 41%
3H8-1259	26.5R25 Michelin XADN ** E-3 Cosm Rep. 27mm = 66%
A10867	26.5R25 Michelin XADN+ ** E-3 No Repairs 39mm = 98%
A11256	26.5R25 Michelin XADN+ ** E-3 No Repairs 41mm = demo
A10258	26.5R25 Michelin XKA ** L-3 No Repairs
A11154	26.5R25 Michelin XHA-2 ** L3 Cosm. Rep. + Regrooved 15mm = 37%
A11241	26.5R25 Michelin XHA-2 ** L3 No Repairs + Regrooved 15mm = 37%
A11155	26.5R25 Michelin XHA-2 ** L3 No Repairs, Regrooved 16mm = 39%
A10904	26.5R25 Michelin XHA-2 ** L3 5x small nail Rep + Regrooved 16mm = 39%
A11363	26.5R25 Michelin XHA-2 ** L3 cosm rep + regrooved 17mm = 41%
A11364	26.5R25 Michelin XHA-2 ** L3 2 repairs + cosm rep + regrooved 17mm = 41%
A11320	26.5R25 Michelin XHA-2 ** L3 1 repair + cosm rep + Regrooved 18mm = 44%
A11064	26.5R25 Michelin XHA-2 ** L3 2 Rep + Cosm rep 10mm = 25%
A11285	26.5R25 Michelin XHA-2 ** L3 2 Repair + cosm rep 14mm = 34%
A11361	26.5R25 Michelin XHA-2 ** L3 1 repair + cosm rep 26mm = 63%
A11362	26.5R25 Michelin XHA-2 ** L3 cosm rep 26mm = 63%
3H13-1305	26.5R25 Michelin X-Super Terrain 1 Rep + cosm rep 36mm = 67%
3H13-1306	26.5R25 Michelin X-Super Terrain 1 Rep + cosm rep 45mm = 83%
3H15-1757	26.5R25 Michelin X-Super Terrain 1 Repair + Cosm rep 52mm = 96%
3H15-1269	26.5R25 Michelin XLDD1 A * L-4 1x Repair + Cosm. Rep. 20mm = 38%
3H11-1820	26.5R25 Michelin XLDD1 A * L-4 No repairs 17mm = 30%
A10981	26.5R25 Michelin TXL ***/**** L4/E4 No Repairs 22mm = 40%
3H15-1756	26.5R25 Michelin TXL ***/**** L4/E4 Only some Cosm. Rep. 33mm = 61%
3H18-1534	26.5R25 Michelin TXL ***/**** L4/E4 Only some Cosm. Rep. 50mm = 93%
3H8-490	26.5R25 Michelin TXL ***/**** L4/E4 Only some Cosm. Rep. 50mm = 93%
A11047	26.5R25 MICHELIN XLDD2 A * L-5 Regrooved 21mm = 24%
A11006	26.5R25 MICHELIN XLDD2 A * L-5 1 Rep + 1 sidewall cosmetic rep. + Regrooved 28mm = 32%
A10678	26.5R25 MICHELIN XLDD2 A * L-5 2 Rep + cosm + Regrooved 29mm = 33%
3H8-1414	26.5R25 Michelin XLDD2 A * L-5 1 Repair + cosm rep 40mm = 46%
3H9-1733	26.5R25 MICHELIN XLDD2 A * L-5 2 Repairs + Cosm rep 57mm = 66%
A11190	26.5R25 MICHELIN XLDD2 A * L-5 4 Repairs + small damages on the tread 57mm = 66%
3H12-994	26.5R25 Michelin XLDD2 A * L-5 1x Repair + cosm. Rep. 59mm = 68%
A11191	26.5R25 MICHELIN XLDD2 A * L-5 1 Repair + cosm 61mm = 70%
3H17-1674	26.5R25 MICHELIN XLDD2 A * L-5 No Repairs, DOT 2015 NEW
A11378	26.5R25 MICHELIN XLDD2 A * L-5 No Repairs 84mm = 97%
3H14-1432	26.5R25 Michelin X Mine D2 ** L5 Cosm Rep 85mm = 93%
3H10-1084	26.5R25 Remould MHA L-3 No Repairs 17mm = 45%
3H10-1086	26.5R25 Remould MHA L-3 No Repairs 18mm = 47%
3H19-1247	26.5R25 Remould MHA L-3 Only some cosm. Rep. 24mm = 64%
CT14-298	26.5R25 Remould MHA L-3 2nd grade casing / chinese casing New
CT6-110	26.5R25 Remould MHA-2 L-3 2x repair 42mm = 93%

Range of used OTR tyres**Current stock week 14**

3H12-1075	26.5R25 Remould MHA L-3 Michelin Casing, 2x repair 31mm = 76%
3H12-1076	26.5R25 Remould MHA L-3 Bridgestone Casing, 1x Repair 31mm = 76%
A10581	26.5R25 Remould MHA-2 L-3 1x Repair (DPS) Michelin casing 35mm = 85%
3H14-1313	26.5R25 Remould MHA-2 L-3 1 Repair 45mm = New
3H14-1314	26.5R25 Remould MHA-2 L-3 lot of small nail repairs 45mm = New
3H14-1317	26.5R25 Remould MHA-2 L-3 No repairs 45mm = New
A11357	26.5R25 Remould MHA-2 L-3 No repairs, Michelin Casing 45mm = New
A11358	26.5R25 Remould MHA-2 L-3 1 repair, Michelin casing 45mm = New
3H11-1384	26.5R25 Remould MADT ** L4/E4 1 repair 34mm = 65%
3H12-774	26.5R25 Remould MADT ** L4/E4 1 repair 50mm = new
3H12-775	26.5R25 Remould MADT ** L4/E4 1 repair 50mm = new
3H19-1494	26.5R25 Remould MADT ** L4/E4 1 Repair 50mm = new
3H19-1495	26.5R25 Remould MADT ** L4/E4 No Repairs 50mm = new
3H19-1496	26.5R25 Remould MADT ** L4/E4 No Repairs 50mm = new
3H19-1497	26.5R25 Remould MADT ** L4/E4 1 Repair 50mm = new
3H17-1672	26.5R25 Remould MADT ** L4/E4 1 Repair 50mm = new
3H17-1673	26.5R25 Remould MADT ** L4/E4 1 Repair 50mm = new
3H16-1375	26.5R25 Remould MLDD1 A * L-4 No Repairs 60mm = New
3H16-1376	26.5R25 Remould MLDD1 A * L-4 No Repairs 60mm = New
A11075	26.5R25 Remould MLDD1 A * L-4 2x Repairs 47mm = 78%
A10772	26.5R25 Remould MLDD2 A * L-5 1 rep + cosm rep 70mm = 80%
A10814	26.5R25 Remould MLDD2 A * L-5 1 Reparatie 61mm =70%
A11115	26.5R25 Remould RL-5K ** L-5 (Schelkmann) Cosm rep 85mm = new
3H6-524	26.5R25 Techking ETLDD2 * L-5 1x Repair + Cosm Rep. 68mm = 78%
3H9-1690	26.5R25 Techking ETD2S 3 Rep + Cosm 46mm = 53%
A10412	29.5R25 AEOLUS AL-37 ** L3/E3 1x Repair + cosm. Rep 44mm = 92%
A9971	29.5-25 ALPHA Hard Rock Lug 28pr No Repairs 44mm = 98%
A10982	29.5R25 Bridgestone VMT L-3 No Repairs (DOT2014) 42mm = NEW
A11324	29.5R25 Bridgestone VSDL L-5 5 small nail repairs + cosm rep + regrooved 25mm = 26%
CT1-289	29.5-25 General LD-250 L-5 (slick) 28pr No repairs New
A10675	29.5R25 Goodyear GP-4D ** L4/E4 Cosm repair 48mm = 84%
3H12-1546	29.5R25 Goodyear RL-5K ** Hi Stab L-5 2 Rep + Cosm Rep New
3H12-1547	29.5R25 Goodyear RL-5K ** Hi Stab L-5 4 Rep + Cosm Rep New
A11328	29.5R25 Goodyear RL-5K L-5 Cosm repair 92mm = 96%
A11343	29.5R25 Goodyear RL-5K L-5 1 Repair + cosm rep Demo
3H12-1548	29.5R25 Goodyear TL3A+ 3 Repairs + cosm rep 22mm = 47%
A7290	29.5R25 MAXAM MS501 ** L-5 Minextra ruw op nokken 90MM = 90%
8x	29.5R25 Michelin XS (196E) ** No Repairs 98-100%
A10832	29.5R25 MICHELIN XHA2 L3 1 Repair + cosm rep 41mm = 95%
3H16-1738	29.5R25 Michelin XHA2 L3 1 Rep + cosm rep 26mm = 60%
3H10-1391	29.5R25 MICHELIN XADN ** E-3 1 Rep + cosm rep 32mm = 75%
3H16-1367	29.5R25 MICHELIN XADN ** E-3 1 Repair 41mm = 93%
3H13-1765	29.5R25 MICHELIN XADN ** E-3 2 Repairs + Cosm 41mm = 93%
A10599	29.5R25 MICHELIN XADT ** E-4/L-4 1x Repair + cosm. Rep 40mm = 67%
3H14-1057	29.5R25 MICHELIN XLDD2 A * L-5 1x Repair 93mm = 98%
A10735	29.5R25 MICHELIN X Mine D2 ** L-5 Cosm. Rep. on bead 101mm = Demo/New
A11008	29.5R25 MICHELIN X Mine D2 ** L-5 Only some Cosm. Rep. 51mm = 50%
3H9-1691	29.5R25 MICHELIN X Mine D2 * L-5 2 Rep + Cosm Rep 41mm = 41%
A11244	29.5R25 MICHELIN X Mine D2 * L-5 4 Repairs + Cosm rep + Regrooved 41mm = 41%
3H15-1483	29.5R25 Remould MADT ** L4/E4 2 Repairs 55mm = New
3H15-1484	29.5R25 Remould MADT ** L4/E4 3 Repairs 55mm = New
3H15-1485	29.5R25 Remould MADT ** L4/E4 2 Repairs 55mm = New
3H15-1486	29.5R25 Remould MADT ** L4/E4 2 Repairs 55mm = New
A11083	29.5R25 Remould MADT ** L4/E4 Cosm Rep 47mm = 85%
3H15-810	29.5-25 Remould XHA* L3 X-ply casing NEW
3H15-811	29.5-25 Remould XHA* L3 X-ply casing NEW
3H15-812	29.5-25 Remould XHA* L3 X-ply casing NEW

Range of used OTR tyres**Current stock week 14**

3H15-1009	29.5R25 Remould XHA* L3 2x Repair 37mm = 93%
CT8-327	29.5R25 Remould XHA-2 * L-3 Chinese Casing 44mm = New
CT8-328	29.5R25 Remould XHA-2 * L-3 Chinese Casing 44mm = New
TW89283	29.5R25 Techking ETSM ** L-5 slick, Regrooved as XLDD2 60mm = 62%
A8810	26.5R29 Michelin XR-B ** New (older DOT) New
	26.5R29 Michelin XK-A ** Only some cosm rep. 9mm = 25%
	26.5R29 Michelin XK-A ** Only some cosm rep. 9mm = 25%
3H20-1207	600/55-26.5 Nordmann Forest TRS LS 20pr TT No Repairs 41mm = 90%
3H20-1208	600/55-26.5 Nordmann Forest TRS LS 20pr TT No Repairs 41mm = 90%
3H20-1209	600/55-26.5 Nordmann Forest TRS LS 20pr TT No Repairs 41mm = 90%
3H20-1210	600/55-26.5 Nordmann Forest TRS LS 20pr TT No Repairs 41mm = 90%
A11273	405/70R20 Dunlop SPT9 No Repairs 18mm = 95%
A11284	405/70R20 Dunlop SPT9 No Repairs 14mm = 74%
A9476	405/70R20 Mitas EM-01 (152A2) clean, no repairs demo/new
3H18-851 (4x)	405/70R20 Mitas EM-01 (152A2) clean, no repairs on rims for a CASE 221F demo/new
A11084	335/80R20 Pirelli Pista No Repairs New
A11085	335/80R20 Pirelli Pista No Repairs New
A11086	335/80R20 Pirelli Pista No Repairs New
A11087	335/80R20 Pirelli Pista No Repairs New
3H5-1713	365/80R20 Dunlop SPT-9 No Repairs 19mm = Demo
3H5-1714	365/80R20 Dunlop SPT-9 No Repairs 19mm = Demo
3H5-1715	365/80R20 Dunlop SPT-9 No Repairs 19mm = Demo
3H5-1716	365/80R20 Dunlop SPT-9 No Repairs 19mm = Demo
3H5-1717	365/80R20 Dunlop SPT-9 No Repairs 19mm = Demo
3H5-1718	365/80R20 Dunlop SPT-9 No Repairs 19mm = Demo
3H5-1719	365/80R20 Dunlop SPT-9 No Repairs 19mm = Demo
3H5-1720	365/80R20 Dunlop SPT-9 No Repairs 19mm = Demo
3H3-1681	455/70R20 Dunlop SPT-9 With Volvo L35 Rim 20mm = demo
3H3-1682	455/70R20 Dunlop SPT-9 With Volvo L35 Rim 20mm = demo
3H3-1683	455/70R20 Dunlop SPT-9 With Volvo L35 Rim 20mm = demo
3H3-1684	455/70R20 Dunlop SPT-9 With Volvo L35 Rim 20mm = demo
3H2-550	445/65R22,5 Continental AC70+ (160G) No Repairs 12mm = 30%
3H2-549	445/65R22,5 Continental AC70+ (160G) No Repairs 12mm = 30%
3H20-1778 till 17	525/65R20.5 Michelin XS No Repairs New
CT5-320	440/80R28 Michelin XMCL No repairs demo/new
3H17	440/80R28 Michelin XMCL No repairs demo/new
A10629	385/95R25 Bridgestone VHS E2 No Repairs 22mm = 96%
3H4-1100	385/95R25 Magna MA-03 E-2 170E No Repairs 23mm = New
3H4-1101	385/95R25 Magna MA-03 E-2 170E No Repairs 23mm = New
3H2-1053	385/95R25 Magna MA-03 E-2 170E No Repairs 10mm = 42%
A10456	385/95R25 Michelin X-Crane+ 170F 1x Repair 20mm = 87%
3H18-663	445/80R25 Bridgestone VGT ** (170E) No Repairs (DOT2015) NEW
3H2-540	445/80R25 Goodyear GP-2B ** (170E) No Repairs 17mm = 68%
3H2-541	445/80R25 Goodyear GP-2B ** (170E) No Repairs 18mm = 72%
3H17-648	445/80R25 Goodyear GP-2B ** (170E) No Repairs, DOT 2010 Demo
3H3-1493	445/95R25 Michelin X-Sno + E-2 Winter No Repairs 25mm = new

Range of used OTR tyres**Current stock week 14**

3H17-636	480/95R25 Michelin X-straddle No Repairs 29mm = 58%
3H17-637	505/95R25 Bridgestone VHS ** E-2 (186E) only some Cosm. Rep. 23mm = 88%
A5657	505/95R25 Bridgestone VHS ** E-2 (186E) No Repairs 23mm = 88%
A9277	525/80R25 Bridgestone VHS ** (179E) No Repairs 18mm = 58%
A10321	525/80R25 Bridgestone VHS ** (179E) No Repairs 18mm = 58%
A10318	525/80R25 Bridgestone VHS ** (179E) No Repairs 15mm = 48%
A10319	525/80R25 Bridgestone VHS ** (179E) No Repairs 15mm = 48%
A10320	525/80R25 Bridgestone VHS ** (179E) No Repairs 15mm = 48%
3H11-922	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 19mm = 60%
3H11-923	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 19mm = 60%
3H11-924	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 17mm = 55%
3H11-927	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 17mm = 55%
3H11-925	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 13mm = 42%
3H11-926	525/80R25 Bridgestone VKT ** L3/E3 No Repairs (20.5R25) 15mm = 48%
3H1-692	525/80R25 Double Coin REM8 E2 (179E) No Repairs 29mm = 94%
3H1-694	525/80R25 Double Coin REM8 E2 (179E) No Repairs 29mm = 94%
A10634	525/80R25 Double Coin REM8 E2 (179E) No Repairs 29mm = 94%
3H3-604	525/80R25 MAXAM MSV01 E-2 (179E) No Repairs (DOT 2014) 30mm = NEW
3H3-605	525/80R25 MAXAM MSV01 E-2 (179E) No Repairs (DOT 2014) 30mm = NEW
3H3-606	525/80R25 MAXAM MSV01 E-2 (179E) No Repairs (DOT 2014) 30mm = NEW
3H15-1111	525/80R25 Michelin XGC E-2 (179E) No Repairs 23mm = 74%
3H15-1115	525/80R25 Michelin XGC E-2 (179E) No Repairs 21mm = 68%
A11127	525/80R25 Michelin XGC E-2 (179E) No Repairs 28mm = 90%
A10633	525/80R25 Michelin X-Crane+ (178F) No Repairs 25mm = 89%
3H2-548	525/80R25 Michelin X-Crane+ (178F) No Repairs 26mm = 93%
A10379	525/80R25 Techking ETGC E-2 (179E) No Repairs 30mm = NEW
3H20-1622	525/80R25 Techking ETGC E-2 (179E) No Repairs 30mm = NEW
3H20-1623	525/80R25 Techking ETGC E-2 (179E) No Repairs 30mm = NEW
3H2-1040	20-24 Goodyear SGL-D/L-2A 3x Repairs 14mm = 50%
3H11-1523	20R24 Michelin XR No Repairs 21mm = 78%
3H4-1322	20R24 Michelin XR No Repairs 21mm = 78%
3H4-1322	20R24 Michelin XR No Repairs 23mm = 85%
3H11-1522	20R24 Michelin XR No Repairs 23mm = 85%
3H4 - 1109	20R24 Michelin XR No Repairs NEW
A9898	20R24 Remould XRD N * L-3 3 repairs (radial michelin casing) 28mm = 98%
3H13-1748	555/70R24 Michelin XHF * L-3 No Repairs, a bit dry between the lugs 20mm = 60%
3H13-1749	555/70R24 Michelin XHF * L-3 A bit dry between the lugs 20mm = 60%
3H4-1110	550/65R25 Michelin XLD 1 repair + cosm rep 30mm = 94%
A10826	550/65R25 Michelin XLD No repairs 28mm = 88%
A10827	550/65R25 Michelin XLD 1 repair + cosm rep 28mm = 88%
A10828	550/65R25 Michelin XLD No repairs 28mm = 88%
A10829	550/65R25 Michelin XLD No repairs 28mm = 88%
3H5-1829	550/65R25 Michelin XLD * L3 No repairs 29mm = 91%
3H5-1830	550/65R25 Michelin XLD * L3 No repairs 29mm = 91%
3H5-1831	550/65R25 Michelin XLD * L3 No repairs 29mm = 91%
3H5-1832	550/65R25 Michelin XLD * L3 No repairs 29mm = 91%
3H5-1833	550/65R25 Michelin XLD * L3 No repairs 29mm = 91%
A11350	555/70R25 Michelin XHA * L-3 3 repairs, Tyre little dry 23mm = 65%
3H3-1634	525/65R20.5 Michelin XS Small damages on the tread 17mm = Demo
3H15-1467	24R20.5 Remould XS Michelin Casing 19mm = New

Range of used OTR tyres**Current stock week 14**

3H15-1468	24R20.5 Remould XS Michelin Casing 19mm = New
A10067	600/65R25 Goodyear GP-3D ** L3/E3 Only some cosm. Rep. On sidewall New
A10574	600/65R25 Michelin XLD * L-3 No Repairs 32mm = 94%
A10824	600/65R25 Michelin XLD * L-3 Cosm rep 16mm = 48%
A11369	650/65R25 Aeolus AE39 ** 2 repairs + some nails on the tread 33mm = 80%
3H13-943	650/65R25 Bridgestone VTS * L-3 New / small damages on tread NEW
3H13-944	650/65R25 Bridgestone VTS * L-3 New / small damages on tread NEW
A10162	650/65R25 Goodyear GP-3D ** L3/E3 4x small nail Repairs 20mm = 54%
A10163	650/65R25 Goodyear GP-3D ** L3/E3 4x small nail Repairs 20mm = 54%
3H10-1273	650/65R25 Remould/Goodyear GP-3D *(DPS) L3/E3 Original regrooved 37mm = nieuw
3H10-1274	650/65R25 Remould/Goodyear GP-3D *(DPS) L3/E3 Original regrooved 37mm = nieuw
3H10-1275	650/65R25 Remould/Goodyear GP-3D *(DPS) L3/E3 Original regrooved 37mm = nieuw
3H10-1276	650/65R25 Remould/Goodyear GP-3D *(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-611	650/65R25 Remould/Goodyear GP-3D *(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-612	650/65R25 Remould/Goodyear GP-3D *(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-613	650/65R25 Remould/Goodyear GP-3D *(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-614	650/65R25 Remould/Goodyear GP-3D *(DPS) L3/E3 Original regrooved 37mm = nieuw
A10377	650/65R25 Techking ETADT ** L3/E3 No Repairs 33mm = 87%
A10671	705/70R25 Michelin XLD L3 1 repair + cosm repair + regrooved 22mm = 52%
A10672	705/70R25 Michelin XLD L3 1 repair + cosm repair + regrooved 21mm = 49%
3H13-1648	725/70-25 Titan LS150 LS2 20pr TL No Repairs 53mm = NEW
3H13-1649	725/70-25 Titan LS150 LS2 20pr TL No Repairs 53mm = NEW
3H13-1650	725/70-25 Titan LS150 LS2 20pr TL No Repairs 53mm = NEW
3H13-1651	725/70-25 Titan LS150 LS2 20pr TL No Repairs 53mm = NEW
3H15-1482	750/65R25 Bridgestone VLT ** L3/E3 1 Rep + Cosm Rep 14mm = 30%
3H9-1693	750/65R25 Bridgestone VLTS ** L4/E4 No Repairs 55mm = demo
3H11-1812	750/65R25 Bridgestone VTS * L-3 No Repairs 41mm = New
A10995	750/65R25 Goodyear TL-3A+ ** E3/L3 1 Repair + Cosm rep 16mm = 35%
3H10-1388	750/65R25 Michelin XLD * L-3 2 Repairs + cosm rep 23mm = 56%
3H16-1427	750/65R25 Remould XADN ** E3 No Repairs 42mm = New
3H15-1481	750/65R25 Triangle TB598 ** L3/E3 Cosm repair 16mm = 38%
A11257	800/65R25 Michelin XLD * L-3 No Repairs , Regrooved 23mm = 48%
A9970	30/65R29 Goodyear RL-5F * L-5 No Repairs Demo
A11347	775/65R29 Bridgestone VTS * L-3 No Repairs 15mm = 35%
A11348	775/65R29 Bridgestone VTS * L-3 No Repairs 15mm = 35%
CT0-65	775/65R29 Goodyear GP-4D ** Only some cosm. Rep. 48mm = 90%
3H1-454	775/65R29 Michelin XAD-65 ** E-3 6x small nail repairs 15mm = 35%
A7065	775/65R29 Remould M-Mine D1 (gesneden) 8x kleine spijkermanchetten 52MM = 85%
A7066	775/65R29 Remould M-Mine D1 (gesneden) 4x kleine spijkermanchetten 52MM = 85%
A7069	775/65R29 Remould M-Mine D1 (gesneden) 2x kleine spijkermanchetten 52MM = 85%
A7070	775/65R29 Remould M-Mine D1 (gesneden) 10x kleine spijkermanchetten 52MM = 85%
CT0-67	800/65R29 Goodyear GP-4D ** 1 repair + cosm. Rep. 38mm= 71%
3H21-1504	800/65R29 Remould GP-4 Timber * L-4 Cosm Rep + Regrooved 53mm = NEW
3H21-1505	800/65R29 Remould GP-4 Timber * L-4 1 Rep + Cosm Rep + Regrooved 53mm = NEW
3H21-1506	800/65R29 Remould GP-4 Timber * L-4 Cosm Rep + Regrooved 53mm = NEW
3H21-1507	800/65R29 Remould GP-4 Timber * L-4 Cosm Rep + Regrooved 53mm = NEW
3H13-560	800/65R29 Michelin XLD * L-3 No Repairs, Regrooved
	800/65R29 Michelin XLD * L-3 No Repairs 19mm = 40%

Range of used OTR tyres**Current stock week 14**

A11376	875/65R29 Goodyear GP-4D ** Only some Cosm Rep 24mm = 42%
A11377	875/65R29 Goodyear GP-4D ** Only some Cosm Rep 24mm = 42%
A9114	33.25R35 Bridgestone VKT ** E-3 Cosmetic repairs on bead 32mm = 65%
3H10-764	875/65R33 GOODYEAR RT-5D ** L-5 No Repairs DOT 2017 NEW !!
A11125	875/65R33 GOODYEAR RL-4K ** L-4 No Repairs 15mm = 25%
3H5-976	875/65R33 GOODYEAR RL-5K ** L-5 Hi Stab. 1x Repair + Cosm. Rep 90mm = 95%
3H5-977	875/65R33 GOODYEAR RL-5K ** L-5 Hi Stab. 1x Repair + Cosm. Rep 77mm = 82%
3H16-1661	875/65R33 GOODYEAR RL-3S ** L-3 slick No Repairs (no Serialnr.) New
3H16-1662	875/65R33 GOODYEAR RL-3S ** L-3 slick No Repairs (no Serialnr.) New
3H15-1595	35/65R33 Hilo MWS+ ** L-5 1 Rep + cosm rep 86mm = 88%
3H15-1596	35/65R33 Hilo MWS+ ** L-5 Cosm Rep 80mm = 81%
A11009	35/65R33 Michelin XTXL ****/**** L4/E4 Only some small Cosmetic Rep. 60mm = demo
3H16-1737	35/65R33 Michelin X Mine D2 ** L-5 Only Cosm. Rep. 42mm = 45%
3H18-1491	35/65R33 Remould MLDD1 L-4 3 Rep + Cosm Rep 78mm = NEW
3H18-1492	35/65R33 Remould MLDD1 L-4 4 Rep + Cosm Rep 78mm = NEW
3H5-979	35/65R33 Remould RL-4K ** L-4 Bandag (segment) Remould 65mm = new
3H5-980	35/65R33 Remould RL-4K ** L-4 Bandag (segment) Remould 65mm = new
A9529	35/65-33 SIMEX SE-65 L-5 42pr Clean, no repairs 88mm = 85%
A11141	37.25R35 Bridgestone VKT 7 Rep + cosm 18mm =40%
A11145	37.25R35 Bridgestone VSRL omslag bij de hiel ligt iets open. No Repairs 26mm = 50%
A9727	37.25R35 Michelin XRS ** E-4 Clean no repairs 51mm = 96%
3H20-1498	37.25R35 Michelin XR B ** E-3 No Repairs 39mm = 83%
3H20-1499	37.25R35 Michelin XR B ** E-3 No Repairs 39mm = 83%
CT10-423	37.25R35 Michelin XTS ** E-3 2x Repairs + Cosm. Rep. 24mm = 51%
A11146	37.25R35 Michelin XTS ** E-3 1 Rep + cosm 30mm = 64%
3H16-805	37.5 - 39 Goodyear HRL-3F 36pr 1x Big Repair 38mm = 70%
3H16-1663	40/65-39 Bridgestone D-lug L-5 36pr only some Cosm. Repair 57mm = 55%
3H16-1664	40/65-39 Bridgestone D-lug L-5 36pr only some Cosm. Repair 57mm = 55%
3H16-1017	45/65R39 Bridgestone VSDL * L-5 2x Repair + Cosm. Rep 77mm = 67%
bak 5	45/65R39 Michelin XLDD2 A * L-5 1x Repair + cosmetic repairs sidewall 80-85mm
3H16-801	45/65R39 Michelin X Mine D2 * L-5 1x Repair + cosm. Rep. 116mm = New
A11134	45/65R45 Bridgestone VSNL ** L-4 only some Cosm. Rep. 48mm = 64%
A11135	45/65R45 Bridgestone VSNL ** L-4 only some Cosm. Rep. 62mm = 83%
A11133	45/65R45 Bridgestone VSDL ** L-5 No Repairs 82mm = 75%
A9300	45/65R45 Michelin XLDD1 A * L-4 2x small repairs + cosm. Rep. 50mm = 70%
3H16-892	45/65R45 Michelin XLDD1 A * L-4 1x small repairs + cosm. Rep. 42mm = 60%
1x	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
1x	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
1x	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30mm = 26%
1x	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30-25mm = 22-26%
A11029	45/65R45 Michelin X-Mine **D2 L-5 2 Repairs + Cosm rep 67mm = 58%
A11162	45/65R45 Michelin X-Mine **D2 L-5 2 Rep + cosm 71mm = 65%
3H11-611	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-612	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-613	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
3H11-614	650/65R25 Remould/Goodyear GP-3D **(DPS) L3/E3 Original regrooved 37mm = nieuw
A10377	650/65R25 Techking ETADT ** L3/E3 No Repairs 33mm = 87%
A10671	705/70R25 Michelin XLD L3 1 repair + cosm repair + regrooved 22mm = 52%
A10672	705/70R25 Michelin XLD L3 1 repair + cosm repair + regrooved 21mm = 49%

Range of used OTR tyres**Current stock week 14**

3H13-1648	725/70-25 Titan LS150 LS2 20pr TL No Repairs 53mm = NEW
3H13-1649	725/70-25 Titan LS150 LS2 20pr TL No Repairs 53mm = NEW
3H13-1650	725/70-25 Titan LS150 LS2 20pr TL No Repairs 53mm = NEW
3H13-1651	725/70-25 Titan LS150 LS2 20pr TL No Repairs 53mm = NEW
3H15-1482	750/65R25 Bridgestone VLT ** L3/E3 1 Rep + Cosm Rep 14mm = 30%
3H9-1747	750/65R25 Bridgestone VLT ** L3/E3 1 Repair 13mm = 30%
3H9-1693	750/65R25 Bridgestone VLTS ** L4/E4 No Repairs 55mm = demo
A11062	750/65R25 Goodyear GP-3D ** L3/E3 Cosm repair 19mm = 51%
A10995	750/65R25 Goodyear TL-3A+ ** E3/L3 1 Repair + Cosm rep 16mm = 35%
A10992	750/65R25 Goodyear TL-3A+ ** E3/L3 3 Repairs + Cosm rep 23mm = 50%
3H10-1388	750/65R25 Michelin XLD * L-3 2 Repairs + cosm rep 23mm = 56%
3H16-1427	750/65R25 Remould XADN ** E3 No Repairs 42mm = New
3H15-1480	750/65R25 Techking ETADT ** 1 Repair 38mm = 88mm
3H15-1481	750/65R25 Triangle TB598 ** L3/E3 Cosm repair 16mm = 38%
A11257	800/65R25 Michelin XLD * L-3 No Repairs , Regrooved 23mm = 48%
A9970	30/65R29 Goodyear RL-5F * L-5 No Repairs Demo
CT0-65	775/65R29 Goodyear GP-4D ** Only some cosm. Rep. 48mm = 90%
3H1-454	775/65R29 Michelin XAD-65 ** E-3 6x small nail repairs 15mm = 35%
A7065	775/65R29 Remould M-Mine D1 (gesneden) 8x kleine spijkermanchetten 52MM = 85%
A7066	775/65R29 Remould M-Mine D1 (gesneden) 4x kleine spijkermanchetten 52MM = 85%
A7069	775/65R29 Remould M-Mine D1 (gesneden) 2x kleine spijkermanchetten 52MM = 85%
A7070	775/65R29 Remould M-Mine D1 (gesneden) 10x kleine spijkermanchetten 52MM = 85%
CT0-67	800/65R29 Goodyear GP-4D ** 1 repair + cosm. Rep. 38mm= 71%
3H21-1504	800/65R29 Remould GP-4 Timber * L-4 Cosm Rep + Regrooved 53mm = NEW
3H21-1505	800/65R29 Remould GP-4 Timber * L-4 1 Rep + Cosm Rep + Regrooved 53mm = NEW
3H21-1506	800/65R29 Remould GP-4 Timber * L-4 Cosm Rep + Regrooved 53mm = NEW
3H21-1507	800/65R29 Remould GP-4 Timber * L-4 Cosm Rep + Regrooved 53mm = NEW
A11200	800/65R29 Michelin XLD * L-3 No Repairs, Regrooved
3H13-560	800/65R29 Michelin XLD * L-3 No Repairs 19mm = 40%
A11265	875/65R29 Goodyear GP-4D ** L4/E4 No Repairs 20mm = 35%
A11266	875/65R29 Goodyear GP-4D ** L4/E4 No Repairs 20mm = 35%
A9114	33.25R35 Bridgestone VKT ** E-3 Cosmetic repairs on bead 32mm = 65%
3H10-764	875/65R33 GOODYEAR RT-5D ** L-5 No Repairs DOT 2017 NEW !!
A11125	875/65R33 GOODYEAR RL-4K ** L-4 No Repairs 15mm = 25%
3H5-976	875/65R33 GOODYEAR RL-5K ** L-5 Hi Stab. 1x Repair + Cosm. Rep 90mm = 95%
3H5-977	875/65R33 GOODYEAR RL-5K ** L-5 Hi Stab. 1x Repair + Cosm. Rep 77mm = 82%
3H16-1661	875/65R33 GOODYEAR RL-3S ** L-3 slick No Repairs (no Serialnr.) New
3H16-1662	875/65R33 GOODYEAR RL-3S ** L-3 slick No Repairs (no Serialnr.) New
3H15-1595	35/65R33 Hilo MWS+ ** L-5 1 Rep + cosm rep 86mm = 88%
3H15-1596	35/65R33 Hilo MWS+ ** L-5 Cosm Rep 80mm = 81%
A11009	35/65R33 Michelin XTXL ***/**** L4/E4 Only some small Cosmetic Rep. 60mm = demo
3H16-1737	35/65R33 Michelin X Mine D2 ** L-5 Only Cosm. Rep. 42mm = 45%
3H18-1491	35/65R33 Remould MLDD1 L-4 3 Rep + Cosm Rep 78mm = NEW
3H18-1492	35/65R33 Remould MLDD1 L-4 4 Rep + Cosm Rep 78mm = NEW
3H5-979	35/65R33 Remould RL-4K ** L-4 Bandag (segment) Remould 65mm = new
3H5-980	35/65R33 Remould RL-4K ** L-4 Bandag (segment) Remould 65mm = new
A9529	35/65-33 SIMEX SE-65 L-5 42pr Clean, no repairs 88mm = 85%
3H15-1597	35/65R33 Triangle TL535S+ Cosm + some damages on the Tread 75mm = 80%
3H15-1598	35/65R33 Triangle TL535S+ 1 Rep + cosm rep 87mm = 92%

Range of used OTR tyres**Current stock week 14**

A11141	37.25R35 Bridgestone VKT 7 Rep + cosm 18mm =40%
A11145	37.25R35 Bridgestone VSRL omslag bij de hiel ligt iets open. No Repairs 26mm = 50%
A9727	37.25R35 Michelin XRS ** E-4 Clean no repairs (Slatevale heeft band) 51mm = 96%
3H20-1498	37.25R35 Michelin XR B ** E-3 No Repairs 39mm = 83%
3H20-1499	37.25R35 Michelin XR B ** E-3 No Repairs 39mm = 83%
CT10-423	37.25R35 Michelin XTS ** E-3 2x Repairs + Cosm. Rep. 24mm = 51%
A11146	37.25R35 Michelin XTS ** E-3 1 Rep + cosm 30mm = 64%
3H16-805	37.5 - 39 Goodyear HRL-3F 36pr 1x Big Repair 38mm = 70%
3H16-1663	40/65-39 Bridgestone D-lug L-5 36pr only some Cosm. Repair 57mm = 55%
3H16-1664	40/65-39 Bridgestone D-lug L-5 36pr only some Cosm. Repair 57mm = 55%
3H16-1017	45/65R39 Bridgestone VSDL * L-5 2x Repair + Cosm. Rep 77mm = 67%
bak 5	45/65R39 Michelin XLDD2 A * L-5 1x Repair + cosmetic repairs sidewall 80-85mm
3H16-801	45/65R39 Michelin X Mine D2 * L-5 1x Repair + cosm. Rep. 116mm = New
A11134	45/65R45 Bridgestone VSNL ** L-4 only some Cosm. Rep. 48mm = 64%
A11135	45/65R45 Bridgestone VSNL ** L-4 only some Cosm. Rep. 62mm = 83%
A11133	45/65R45 Bridgestone VSDL ** L-5 No Repairs 82mm = 75%
A9300	45/65R45 Michelin XLDD1 A * L-4 2x small repairs + cosm. Rep. 50mm = 70%
3H16-892	45/65R45 Michelin XLDD1 A * L-4 1x small repairs + cosm. Rep. 42mm = 60%
1x	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
1x	45/65R45 Michelin X-Mine *D2 L-5 No Repairs 40mm = 35%
1x	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30mm = 26%
1x	45/65R45 Michelin X-Mine **D2 L-5 No Repairs 30-25mm = 22-26%
A11029	45/65R45 Michelin X-Mine **D2 L-5 2 Repairs + Cosm rep 67mm = 58%
A11162	45/65R45 Michelin X-Mine **D2 L-5 2 Rep + cosm 71mm = 65%